


# Lexmark E460 Series

Lexmark E460dn

Lexmark E460dw



High-endurance printing  
delivered in a compact design!



**LEXMARK**<sup>TM</sup>

# Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their turnover on printing, and that active print management can cut office print costs by up to 30%<sup>1</sup>, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

<sup>1</sup> Source: InfoTrends/CapVentures, "Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service", August, 2008

**Keep your productivity up and costs way down with the Lexmark E460dn. Network-ready with an intuitive display, it offers effortless operation, confidential printing, advanced security and management tools, and practical ways to lower your running costs – including integrated duplex printing and Lexmark Extra High Yield Toner Cartridges. A great value for small and medium workgroups with big workloads and high expectations!**



## Powerfully simple!

With its rapid time-to-first-page, the Lexmark E460dn is a powerful asset to your workgroup. It features everything you need to perform at your best, along with great print quality and an intuitive display to simplify your workday.

- Powerful 466 MHz processor
- First page out as fast as 6.5 seconds thanks to the instant warm-up fuser
- High-speed printing up to 40 ppm
- User-friendly 4-line graphical display



## Hassle-free management

Your day is too busy to spend time on maintenance issues. The Lexmark E460dn brings simplified management to your fingertips. Experience enhanced security and time savings with a range of high-end features you typically wouldn't expect on such an attractively priced printer.

- Lexmark remote management tools available
- Customized early-warning alerts for low toner
- 10-digit numeric pad for secure print release
- Customizable operator panel messaging



## Easy on your budget

Benefit from smarter ways to save and an attractive total cost of ownership. In addition to its low acquisition price, the Lexmark E460dn offers you cost-effective ways to expand your team's productivity and lower your total cost of printing.

- Lower page cost with Lexmark Extra High Yield Toner Cartridges (up to 15,000\* pages)
- Multiple darkness levels save up to 50% on toner
- Built-in networking for easy sharing
- Expandable paper capacity up to 850 sheets



## Prints black, thinks green

Printing responsibly means everyone wins – your business, your budget and the environment! The Lexmark E460dn is designed with eco-conscious features to help you reduce paper and save energy.

- Built-in duplex saves paper
- Eco-Mode reduces power consumption
- Instant warm-up fuser saves energy
- Lexmark Cartridge Collection Program for easy recycling



## Lexmark's guarantee to you

Lexmark's 1-Year Exchange warranty on the Lexmark E Series provides added peace of mind. Enhanced service offerings may be available by contacting your Lexmark representative or visiting [www.lexmark.com](http://www.lexmark.com). Optimize your printer's performance and investment value by using genuine Lexmark supplies, service and parts.

# Lexmark E460 Series

**High-endurance printing  
for busy workgroups – in a compact size!**

Small in size, BIG on savings!



#### Affordable printing

Reduce operating costs with multiple toner-level settings and the optional Lexmark Extra High Yield Toner Cartridge (15K).



#### Comprehensive messaging

The user-friendly operator panel includes an intuitive 4-line display, which offers you valuable time-saving guidance and assistance.



#### Eco-Mode

Select this printing mode to automatically lower your energy consumption and drive down paper waste and costs.



#### Secure printing

Keep sensitive documents fully secure. Use the numeric pad to hold, release and protect all your confidential print jobs. It helps save paper too!



Get exactly the performance you need



### Lexmark E360d

Faster, more-versatile printing with built-in duplex

- Up to 40 ppm print speeds
- 50-sheet multipurpose feeder
- Intuitive 2-line LCD display
- 9,000\*-page toner cartridge available
- Recommended average volume: 740 to 6,000 pages

Available models: Lexmark E360d, Lexmark E360dn



### Lexmark E460dn

Compact yet built for demanding higher volume workgroup printing

- User-friendly 4-line operator panel with numeric pad
- Enhanced security and service features
- Compatible with Lexmark Forms and Bar Code Card Solution
- 15,000\*-page toner cartridge available
- Recommended average volume: 1,500 to 10,000 pages

Available models: Lexmark E460dn, Lexmark E460dw\*  
\* Wireless model not available in all countries



### Lexmark T650n

Ideal for small and midsize workgroups that want great performance, excellent paper handling and an all-round robust design.


- Up to 45 ppm print speeds
- 500MHz processor
- 128MB standard memory
- Recommended monthly volume: 3,000 to 20,000 pages
- 350-sheet standard input, 4,000 maximum

Available models: Lexmark T650n, Lexmark T650dn, Lexmark T650dtn

# Product specifications

# Lexmark E460

<b>Printing</b>	
<b>Print Technology</b>	Monochrome Laser
<b>Print Speed (A4, Black): Up to</b>	38 ppm
<b>Time to First Page (Black)</b>	As fast as 6.5 seconds
<b>Print Resolution, Black</b>	1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi
<b>Memory, Standard</b>	
<b>Memory, Standard</b>	64 MB
<b>Memory, Maximum</b>	576 MB
<b>Print Noise Level, Operating</b>	53 dBA
<b>Noise Level, Idle</b>	inaudible dBA
<b>Maximum Monthly Duty Cycle: Up to</b>	80000 pages per month
<b>Recommended Monthly Page Volume</b>	1500 - 10000 pages
<b>Supplies</b>	
<b>Supplies Yield</b>	9,000*-page High Yield Toner Cartridge, 3,500*-page Toner Cartridge, 15,000*-page Extra High Yield Toner Cartridge
(*Average standard page yield value declared in accordance with ISO/IEC 19752.)	
<b>Cartridge(s) Shipping with Product</b>	7,000*-page Starter Return Program Toner Cartridge
<b>Paper Handling</b>	
<b>Paper Handling Standard</b>	150-Sheet Output Bin, Integrated Duplex, Single Sheet Exit, 250-Sheet Input Tray, 50-Sheet Multipurpose Feeder
<b>Paper Handling Optional</b>	550-Sheet Drawer, Only one drawer may be installed at a time, 250-Sheet Drawer
<b>Paper Input Capacity, Standard</b>	300 pages 20 lb or 75 gsm bond
<b>Paper Input Capacity, Maximum</b>	850 pages 20 lb or 75 gsm bond
<b>Paper Output Capacity, Standard</b>	150 pages 20 lb or 75 gsm bond
<b>Paper Output Capacity, Maximum</b>	150 pages 20 lb or 75 gsm bond
<b>Media Types Supported</b>	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide
<b>Media Sizes Supported</b>	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, A6 Card, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio
<b>Compatibility</b>	
<b>Network Protocol Support</b>	TCP/IP IPv4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, TCP, UDP
<b>Printer Languages (Standard)</b>	PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image
<b>Standard Ports</b>	Centronics IEEE 1284 Bidirectional Parallel, Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified
<b>Microsoft Windows Operating Systems Supported</b>	2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Vista, Vista x64, Server 2008, Server 2008 x64, Server 2008 running Terminal Services, Server 2008 x64 running Terminal Services
<b>Apple Macintosh Operating Systems Supported</b>	Mac OS X, Mac OS 9.x
<b>Other Operating Systems Supported</b>	www.lexmark.com
<b>General</b>	
<b>Product Warranty</b>	1-Year Exchange
<b>Product Certifications</b>	www.lexmark.com
<b>Size (mm - H x W x D)</b>	260 x 406 x 370 mm
<b>Weight (kg)</b>	14.03 kg
<b>Specified Operating Environment</b>	Temperature: 16 to 32°C (60 to 90°F), Altitude: 0 - 2500 Meters (8,200 Feet), Humidity: 8 to 80% Relative Humidity for Temperatures less than 25.5°C (78°F)



■ Paper Handling Standard

■ Paper Handling Optional

**Part # Model**

0034S0700 Lexmark E460dn

**Part # Laser Toner/Print Cartridge**

00E460X11A E460 Extra High Yield Return Program Toner Cartridge  
 00E360H11A E360, E460 High Yield Return Program Toner Cartridge  
 00E260A11A E260, E360, E460 Return Program Toner Cartridge  
 00E460X21A E460 Extra High Yield Toner Cartridge  
 00E360H21A E360, E460 High Yield Toner Cartridge  
 00E260A21A E260, E360, E460 Toner Cartridge  
 00E260X22G E260, E360, E460 Photoconductor Kit

**Part # Paper & Transparencies**

0070X7240 Laser Printer Transparencies (Letter)

**Part # Paper Handling**

0034S0550 550-Sheet Drawer  
 0034S0250 250-Sheet Drawer

**Part # Memory Options**

001022298 128MB DDR1-DRAM  
 001022299 256MB DDR1-DRAM  
 001022301 512MB DDR1-DRAM  
 0014F0245 256MB Flash Card  
 0030G0828 Japanese Font Card  
 0030G0825 Korean Font Card  
 0030G0826 Simplified Chinese Font Card  
 0030G0827 Traditional Chinese Font Card

**Part # Application Solutions**

0030G0829 Lexmark Print/Cryption Card  
 0034S0970 E460 Forms and Bar Code Card

**Part # Connectivity**

001021231 Parallel (10') Cable  
 001021294 USB (2 Meter) Cable  
 0014T0145 Lexmark N4050e 802.11g Wireless Printer Server  
 0014T0220 MarkNet™ N7020e Gigabit Ethernet Print Server

**Part # Extended Warranties**

002350250 2-Years Total Exchange Service, Next Business Day  
 002350251 3-Years Total Exchange Service, Next Business Day  
 002350252 4-Years Total Exchange Service, Next Business Day  
 002350254 1-Year Exchange Service Renewal, Next Business Day  
 002350257 Upgrade to Onsite Service, Next Business Day  
 002350258 2-Years Total Onsite Service, Next Business Day  
 002350259 3-Years Total Onsite Service, Next Business Day  
 002350260 4-Years Total Onsite Service, Next Business Day  
 002350262 1-Year Onsite Service Renewal, Next Business Day

**Part # Service Parts**

0040X5400 E460 Fuser Maintenance Kit 110-120V

**In the box**  
 Lexmark E460dn Laser Printer, 7,000-page\* Return Program Toner Cartridge, Photoconductor Kit, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), Statement of limited warranty, Operator panel language overlay, Safety sheet or booklet, Lexmark Cartridge Collection Program information

**Other models available**  
 E460dw: Lexmark E460dn + built-in wireless



**Environmental commitment**  
 Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programmes please visit [www.lexmark.com/recycle](http://www.lexmark.com/recycle)

**Cost saving and environmental features**

- Energy Star compliant
- Duplex printing, print and hold (verify print), multi-up printing and quality printing on recycled paper help reducing paper consumption
- Selectable toner saving modes help reducing the amount of toner used on a page.
- Return programme cartridges and end-of-life product management help reducing landfill



**Maximum Monthly Duty Cycle**  
 «Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPPs.

**Recommended Monthly Page Volume**  
 «Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

**Trademarks**  
 Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.