

*Relief knowing my
documents will
stay crisp and clean*



Document Protection Solutions



Lamination for Home,
Education and Business

www.gbceurope.com

How to Choose - Lamination

1 What is your purpose and how often to you want to laminate?

**INFORMAL
(INTERNAL DOCUMENTS)**

I

General every day use
Low to medium volume / frequency of use

**BUSINESS
(INTERNAL & EXTERNAL)**

B

Use your document to impress during client meetings or internally for every day use
Med volume / frequency of use

**PROFESSIONAL
(EXTERNAL DOCUMENTS)**

P

Important high value documents
Med to High volume / frequency of use

3 What size do you want to laminate?



4 Find the compatible machine and Pouch thickness

Size	A4	A4	A4	A4	A4	A4	A4	A3	A3	A3
mic per flap	Smart Lam	Photo Lam & Trimmer	Creative	H65	H75	H215	H212	H315	H312	H320
42 micron										
75 micron	✓	✓		✓	✓	✓	✓	✓	✓	✓
100 micron						✓	✓	✓	✓	✓
125 micron			✓	✓	✓	✓	✓	✓	✓	✓
175 micron										
180 micron										
250 micron										
See Page Number	000	000	000	000	000	000	000	000	000	000

You only get one chance to make a first impression

FREE




Professional desktop publishing solution worth **€89.99**

Receive the **FREE software package** inside every featured GBC Laminator with this flash.



2 What / Why are you laminating?

	ColorPouch	MattPouch	HighSpeed	CardPouch	Document	Peel n Stick	UV Safe	Organise	EZload film
Signage	✓	✓				✓	✓		✓
Reference documents		✓	✓	✓	✓				✓
Filing documents	✓							✓	✓
General everyday use	✓	✓	✓		✓				✓
Labelling and identity			✓	✓	✓	✓			
See Page Number	000	000	000	000		000	000	000	



A3	A4	A3	A3	A3	A3	A2	A3	A2	Roll Laminators				
H420	H405	H415	H425	H520	H535	4000LM	3500LM	4500LM	EZLoad 35	AutoUltima Pro			
					✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓					
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
					✓	✓	✓	✓					
					✓	✓	✓	✓					
000	000	000	000	000	000	000	000	000	000	000			

Serif PagePlus™ X3 Software for GBC

- The easiest way to boost your business with unrivalled in-house graphic design and publishing.
- With PagePlus X3 it's simple for anyone to create, publish and share high quality designs as outstanding printed documents, stylish websites and eye-catching emails.
- Plus import, edit, and export PDF files for reliable commercial output and near-universal sharing compatibility.
- Image Cut-out and Logo Studios, support for up-to-the-minute graphics formats, stunning new special effects, enhanced usability and even more powerful text handling.



GBC® HeatSeal™ Pouch Selection

GBC® understands and appreciates the different environments in which lamination takes place.

A comprehensive range has been developed:

Classic, Professional and Designer

Series to suit every

environment and perfectly

meet the users needs.

Remember to choose the

pouch size, thickness and finish

that is right for your document

and for the equipment you will use.





Document™ Pouch – Large Sizes

Ideal for Posters, Signage, Charts and Maps etc.
For use with A3 and A2 Laminators.



Available items	Size (mm)	Finish	Micron thickness		Pack Size	Product Code
A2	426 x 600	Gloss	2 x 80 MIC	(160 Total)	100	IB589782
A2	426 x 600	Gloss	2 x 125 MIC	(250 Total)	100	IB589799
A2	426 x 600	Gloss	2 x 125 MIC	(250 Total)	50	3745099
A3	303 x 426	Gloss	2 x 38 MIC	(76 Total)	200	3745104
A3	303 x 426	Gloss	2 x 75 MIC	(150 Total)	100	3200745
A3	303 x 426	Gloss	2 x 75 MIC	(150 Total)	25	3740486
A3	303 x 426	Gloss	2 x 80 MIC	(160 Total)	100	IB583032
A3	303 x 426	Gloss	2 x 100 MIC	(200 Total)	100	3740307
A3	303 x 426	Gloss	2 x 125 MIC	(250 Total)	100	3200725
A3	303 x 426	Gloss	2 x 125 MIC	(250 Total)	25	3747237
A3	303 x 426	Gloss	2 x 175 MIC	(350 Total)	100	3200746
A3	303 x 426	Gloss	2 x 180 MIC	(360 Total)	25	41620E
A3	303 x 426	Gloss	2 x 250 MIC	(500 Total)	50	3740450



Document™ Pouch – Standard Sizes

The daily solution to protect and enhance
valuable presentation pages, reference lists,
product sheets, notices etc...



Available items	Size (mm)	Finish	Micron thickness		Pack Size	Product Code
A4	216 x 303	Gloss	2 x 38 MIC	(76 Total)	200	3745103
A4	216 x 303	Gloss	2 x 75 MIC	(150 Total)	100	3740400
A4	216 x 303	Gloss	2 x 75 MIC	(150 Total)	25	3740489
A4	216 x 303	Gloss	2 x 80 MIC	(160 Total)	100	IB585036
A4	216 x 303	Gloss	2 x 100 MIC	(200 Total)	100	3740306
A4	216 x 303	Gloss	2 x 125 MIC	(250 Total)	100	3200723
A4	216 x 303	Gloss	2 x 125 MIC	(250 Total)	25	3740482
A4	216 x 303	Gloss	2 x 175 MIC	(350 Total)	100	3200724
A4	216 x 303	Gloss	2 x 180 MIC	(360 Total)	25	41625E
A4	216 x 303	Gloss	2 x 250 MIC	(500 Total)	100	IB586040
A4	216 x 303	Gloss	2 x 250 MIC	(500 Total)	50	3740449
A5	154 x 216	Gloss	2 x 75 MIC	(150 Total)	100	3740451
A5	154 x 216	Gloss	2 x 75 MIC	(150 Total)	25	3740483
A5	154 x 216	Gloss	2 x 80 MIC	(160 Total)	100	IB575037
A5	154 x 216	Gloss	2 x 250 MIC	(500 Total)	50	3740448
A6	111 x 154	Gloss	2 x 75 MIC	(150 Total)	100	3743152
A6	111 x 154	Gloss	2 x 125 MIC	(250 Total)	100	3740442
A6	111 x 154	Gloss	2 x 250 MIC	(500 Total)	50	3740452
A7	80 x 111	Gloss	2 x 80 MIC	(160 Total)	50	IB577031
A7	80 x 111	Gloss	2 x 125 MIC	(250 Total)	100	IB581076

Ez-In feature

Remove the frustration of document centering, the unique pouch corner seal ensures accurate document placement every time.

This feature is now standard on all A3 / A4 and A5 Document Pouches mentioned above.



Document™ Pouch – Reference Sizes

Ideal for smaller documents – specialist identity documents, permits and licences.



Available items	Size (mm)	Finish	Micron thickness		Pack Size	Product Code
Jumbo	75 x 105	Gloss	2 x 125 MIC	(250 Total)	100	3740303
Jumbo	75 x 105	Gloss	2 x 250 MIC	(500 Total)	100	3740436
Hunting	90 x 130	Gloss	2 x 125 MIC	(250 Total)	100	3743164
German	83 x 113	Gloss	2 x 125 MIC	(250 Total)	100	3743154
Swiss	81 x 119	Gloss	2 x 125 MIC	(250 Total)	100	3743155
Swiss	81 x 119	Gloss	2 x 250 MIC	(500 Total)	100	3743145

Card™ Pouch

Designed for use with many card types.
Can be slotted and punched to accept clips and chains for identity purposes.



Available items	Size (mm)	Finish	Micron thickness		Pack Size	Product Code
Credit Card	54 x 86	Gloss	2 x 125 MIC	(250 Total)	100	3740300
Credit Card	54 x 86	Gloss	2 x 175 MIC	(350 Total)	100	IB589546
Credit Card	54 x 86	Gloss	2 x 180 MIC	(360 Total)	50	41608E
Credit Card	54 x 86	Gloss	2 x 250 MIC	(500 Total)	100	3740430
IBM	59 x 83	Gloss	2 x 125 MIC	(250 Total)	100	3740426
IBM	59 x 83	Gloss	2 x 180 MIC	(360 Total)	50	41609E
Busines Card	60 x 90	Gloss	2 x 125 MIC	(250 Total)	100	3743157
Government	65 x 95	Gloss	2 x 125 MIC	(250 Total)	100	3740301
Government	65 x 95	Gloss	2 x 125 MIC	(250 Total)	25	3740487
Government	65 x 95	Gloss	2 x 250 MIC	(500 Total)	100	3740432
Badge	67 x 99	Gloss	2 x 125 MIC	(250 Total)	100	3743177
Badge	67 x 99	Gloss	2 x 180 MIC	(360 Total)	50	41611E
Key Card	64 x 99	Gloss	2 x 125 MIC	(250 Total)	100	3747245
Key Card	64 x 99	Gloss	2 x 180 MIC	(360 Total)	50	41610E
Luggage	64 x 108	Gloss	2 x 125 MIC	(250 Total)	100	3740433
Luggage	64 x 108	Gloss	2 x 250 MIC	(500 Total)	100	3740434



Available items	Size	Finish (mm)	Micron thickness	Pack Size	Product Code
Writable, non-reflective finish					
A3	303 x 426	Matt/ Matt	2 x 75 MIC	(150 Total)	100 41660E
A3	303 x 426	Matt/ Matt	2 x 125 MIC	(250 Total)	100 3747235
A3	303 x 426	Matt/ Matt	2 x 125 MIC	(250 Total)	50 3747521
A4	216 x 303	Matt/ Matt	2 x 75 MIC	(150 Total)	100 3747240
A4	216 x 303	Matt/ Matt	2 x 75 MIC	(150 Total)	50 3747522
A4	216 x 303	Matt/ Matt	2 x 80 MIC	(160 Total)	100 IB589683
A4	216 x 303	Matt/ Matt	2 x 100 MIC	(200 Total)	100 3740491
A4	216 x 303	Matt/ Matt	2 x 125 MIC	(250 Total)	100 3747241
A4	216 x 303	Matt/ Matt	2 x 125 MIC	(250 Total)	50 3747524
One side matt/ one side gloss					
A4	216 x 303	Matt/ Gloss	2 x 75 MIC	(150 Total)	50 3747520

Matt™ Pouch

The non-reflective finish of Matt is ideal in bright light conditions or to avoid unsightly finger marks.



Available items	Size (mm)	Finish	Micron thickness	Pack Size	Product Code
Easy archiving (A4 + punched margin)					
A4	228 x 303	Gloss	2 x 75 MIC	(150 Total)	100 41664E
A4	229 x 304	Gloss	2 x 75 MIC	(150 Total)	25 3747515
A4	229 x 304	Gloss	2 x 125 MIC	(250 Total)	100 3743156
A4	229 x 304	Gloss	2 x 125 MIC	(250 Total)	25 3740484
A4	229 x 304	Matt	2 x 75 MIC	(150 Total)	25 3747517
A4	229 x 304	Matt	2 x 125 MIC	(250 Total)	25 3747516
Oversized unpunched (Oversized)					
A4	228 x 303	Matt/ Matt	2 x 100 MIC	(200 Total)	50 3747518

Organise™ Pouch

Ideal for documents which need to be filed and archived.



Available items	Size (mm)	Finish	Micron thickness	Pack Size	Product Code
Laminate 30% faster					
A4	216 x 303	Gloss	2 x 75 MIC	(150 Total)	100 3747347
A4	216 x 303	Gloss	2 x 80 MIC	(160 Total)	100 IB049033
A4	216 x 303	Gloss	2 x 100 MIC	(200 Total)	100 3747525
A4	216 x 303	Gloss	2 x 125 MIC	(250 Total)	100 3747348

HighSpeed™ Pouch

Ideal for A4 documents that need protecting 'in a rush' can save more than just time – it can save money and frustration.



High Speed Pouches can be used with A3 and bigger sized laminators.

Peel'nStick™ Pouch



Ideal for semi-permanent signage or reference. Simply peel off the backing paper to reveal the self-adhesive layer and stick.



Available items	Size (mm)	Finish	Micron thickness	Pack Size	Product Code
Ideal for signage					
A3	303 x 426	Gloss	2 x 75 MIC (150 Total)	25	3747526
A3	303 x 426	Matt	2 x 75 MIC (150 Total)	25	3747529
A3	303 x 426	Gloss	2 x 125 MIC (250 Total)	100	3747236
A4	216 x 303	Gloss	2 x 75 MIC (150 Total)	25	3747527
A4	216 x 303	Matt	2 x 75 MIC (150 Total)	25	3747530
A4	216 x 303	Gloss	2 x 100 MIC (250 Total)	100	41666E
A4	216 x 303	Gloss	2 x 125 MIC (250 Total)	100	3747243
A5	154 x 216	Gloss	2 x 75 MIC (150 Total)	25	3747528
A5	154 x 216	Gloss	2 x 125 MIC (250 Total)	100	3747244

Photo™ Pouch

The PhotoPouch™ is designed to colour enhance and protect modern photos including the traditional photo size.



Available items	Size (mm)	Finish	Micron thickness	Pack Size	Product Code
For photo 130 x 180 mm					
Photosize	136 x 186	Gloss	2 x 125 MIC (250 Total)	25	ED20125
For photo 100 x 150 mm					
Photosize	108 x 154	Gloss	2 x 125 MIC (250 Total)	25	ED21125
Patented technology					
Photosize	133 x 184	Gloss	2 x 100 MIC (200 Total)	50	2100157E
Photosize	229 x 304	Gloss	2 x 100 MIC (200 Total)	50	2100159E





Available items	Size (mm)	Finish	Micron thickness	Pack Size	Product Code
Protect from sunlight					
A4	216 x 303	Gloss	2 x 150 MIC	(300 Total)	100 IB611032
A4	216 x 303	Gloss	2 x 150 MIC	(300 Total)	25 3747519



UVSafe™ Pouch

Ideal for outdoor use as UV inhibitors preserve the colour and life of your document.



Available items	Size (mm)	Finish	Micron thickness	Pack Size	Product Code
Coloured pouches					
A4	303 x 216	Red	2 x 100 mic	(200 total)	50 4400376
A4	303 x 216	Silver	2 x 100 mic	(200 total)	50 4400377
A4	303 x 216	Black	2 x 100 mic	(200 total)	50 4400378
A4	303 x 216	Red/ Black Silver Assorted	2 x 100 mic	(200 total)	25 4400379
A4	303 x 216	Green/ Yellow/ Red/ Blue Assorted	2 x 100 mic	(200 total)	25 4400380



Color™ Pouch

Colour catches the eye, colour excites, colour distinguishes, colour communicates and when integrated into GBC Pouch Lamination technology, colour protects. Choose from a total of six colour options.



Available items	Size (mm)	Finish	Micron thickness	Pack Size	Product Code
Fun-framed, photograph pouches					
100 x 130mm	303 x 216	Framed Assorted	2 x 75 mic	(150 total)	12 4400382

Framed™ Pouch

Add a fun frame around your document. Ideal for a photo or invitation. Item includes 12 pouches with 6 fun designs.



Available items	Size (mm)	Finish	Micron thickness	Pack Size	Product Code
Retrieve laminated document					
Selection Pack	A4, Card Sizes	Gloss	2 x 75 mic	(150 total)	80 2100230E
10pcs Matt; 10pcs x Peel'nStick; 10pcs x Organise					
Selection Pack	A4	Gloss/Matt	2 x 75 mic	(150 total)	30 4400542
10pcs x A4; 10pcs x 13x18; 10pcs 10x15					
Hot Lamination Variable Sizes					
Multi-Pack		Gloss	2 x 125 mic	(250 total)	30 ED23125

Selection™ Pouch

Extend your experience of lamination application with our selection packs.





GBC® Equipment

Once you have decided on the application, size, thickness and finish – you will choose which GBC® system is the best for you. Either GBC® Heatseal™ which is ideal for any pouch lamination in the home, office or education environments, or GBC® RollSeal™ for higher volume usage.

Icons shown beside each machine to help you choose the right laminator for your environment.

			
HOME	OFFICE	EDUCATION	REPRO



AutoUltima™ Laminator

**Minimum effort...Maximum results.
Feeds, Laminates and trims – all at the touch of a button.**



GBC AutoUltima™ makes lamination so quick and simple and is designed to support multiple users throughout the day, anyone in your company can laminate single or multiple documents at the press of a button. As simple to use as a photocopier, just insert your documents into the feeder, select the film thickness and press start – the AutoUltima Pro does the rest!

- **Ease of use / One button control, no pouches needed**
- Automatic feeder, simply load up to 50 documents in the feeder and walk away
- **Fast throughput, 800mm per min (204 A4 per hour)**
- Automatic built in Cutter, eliminates the need for trimming
- Once you have pressed start, you can leave the AutoUltima Pro to reach optimum temperature before it automatically feeds, laminates and trims to size up to 50 documents in less than 15 minutes
- The documents are quickly and perfectly laminated and aligned in the collection tray just waiting for you to pick them up; you can even combine various lamination jobs without worrying about standing by the machine
- No more time spent loading individual pouches and feeding each pouch one by one into the laminator and you have the perfect solution for items that may not be suited to a larger roll laminator



Model	Lamination Width*	Product Code
AutoUltima	A3 Max (324mm)	4400095 4400095CH

* Lamination Width is the maximum insert width

Feeds, Laminates, Trims – at the touch of a button!



RollSeal™ Ultima 35 Ezload™

The perfect laminator for offices and schools.

Versatile and economical, the Ultima 35 Ezload™ brings high volume, foolproof lamination to all.

- Unique Ezload™ technology makes it impossible to load films incorrectly
- Exceptionally fast 1 minute warm up time
- Built-in, patented safety features for worry-free laminating
- Laminates anything from small, unusually shaped items to continuous banners and posters (up to 150m in length)
- Ten heat settings to ensure perfect results on a wide range of material and film thicknesses
- Accepts film thicknesses, from 2x42.5 microns (85 total) to a tough, durable 2x250 microns (500 total)
- Laminates at 1 metre per minute (that's just 13 seconds for an A4 document)

Model	Product Code
Ultima 35 EzLoad™ Roll Laminator	1701640 EU 1701660 UK 1701670 CH



Ezload™ Roll Film

A range of high quality Ezload™ films are available to complement your Ultima 35 roll laminator. All film is supplied in ready to use packs of two rolls, ready for error-free loading.

Paper Size/Type	Roll Dimensions	Finish	Pouch Thickness Micron	Quantity	Product Code
Variable sizes	305mm x 150m	Gloss	2 x 42.5 mic (85 total)	2	3400919EZ
Variable sizes	305mm x 150m	Matt	2 x 42.5 mic (85 total)	2	3400923EZ
Variable sizes	305mm x 150m	Gloss	2 x 75 mic (150 total)	2	3400927EZ
Variable sizes	305mm x 150m	Matt	2 x 75 mic (150 total)	2	3400713EZ
Variable sizes	305mm x 75m	Matt/Gloss	2 x 75 mic (150 total)	2	3200202EZ
Variable sizes	305mm x 60m	Gloss	2 x 125 mic (250 total)	2	3400931EZ
Variable sizes	305mm x 60m	Matt	2 x 125 mic (250 total)	2	3200201EZ
Variable sizes	305mm x 30m	Gloss	2 x 175 mic (350 total)	2	3200200EZ
Variable sizes	305mm x 30m	Gloss	2 x 250 mic (500 total)	2	3400935EZ



HeatSeal™ ProSeries 4500LM & HeatSeal™ ProSeries 3500LM

An A3 plus lamination system that guarantees superb results across the complete cross-section of modern materials – photos, colour copies, laser prints, high density litho prints and even digitally printed materials.

- HeatSeal™ ProSeries 4500LM has 470mm throat width, ideal for 2-up' A4 brochure / report cover work or A2 posters and pop-ups
- HeatSeal™ ProSeries 3500LM has 330mm throat width for Max A3
- Laminates from 2x38 micron (76 total) to super heavy 2x250 micron (500 total)
- Digital Display
- Hot Roller heating technology – 2 x Hot Roller + Plate + 2 x Pressure Rollers
- 160-800mm/min variable speed
- Temperature control – 5 pre-set settings
- 31-155 pouches per hour
- 45-225 GBC HighSpeed pouches per hour

Model	Lamination Width	Product Code
H4500LM	A2 Max (470mm)	1700520 EU
		1700530 UK
		1700520CH
H3500LM	A3 Max (330mm)	1700320 EU
		1700330 UK
		1700320CH

HeatSeal™ ProSeries 4500LM



HeatSeal™ ProSeries 3500LM



HeatSeal™ ProSeries 4000LM

The 4000LM has a super fast warm up time of 2 minutes and is ideal for laminating signs, display materials and posters up to A2 in size.

- HeatSeal™ ProSeries 4000LM has 494mm throat width for Max A2
- Laminates from 2x38 micron (76 total) to super heavy 2x250 micron (500 total)
- Four Roller design for perfect results
- Robust and heavy duty construction
- 470 per minute throughput speed



HeatSeal™ ProSeries 4000LM



Similar product available:

Model	Lamination Width	Product Code
HeatSeal ProSeries 14000LM	A2 Max (470mm)	IB509551 EU
		IB509629 UK
		IB509568CH

HeatSeal™ H535 Turbo

With variable speed and temperature settings, the HeatSeal™ H535 Turbo produces excellent photo quality laminates.

Ideal for those who demand much more of a pouch laminator.

- Up to 141 A3's (or 200 A4's) per hour capacity or 277 A4's using the GBC® HighSpeed™ Pouch
- Pouch capability – all thicknesses of pouch up to 2 x 250 micron (500 total) per side
- 4 pre-set temperature settings and 6 speed settings
- 4 Roller design (2 heated + 2 pressure); 324mm throat width
- Auto Shut-Off – after 1 hour of no activity
- Large exit tray – keeps product flat after exit
- Pouch Counter – ideal for GBC® HighSpeed™ Pouch usage
- Reverse mode for misfeeds

Model	Lamination Width	Product Code
H535Turbo	A3 Max (324mm)	1701590 EU
		1701600 UK
		1701610 CH



OFFICE



HeatSeal™ H520 HighSpeed™

HighSpeed™ features make this the most productive laminator for the high volume office.

- Digital countdown timer until ready to use (even when settings are changed)
- Pouch capability from 2 x 75 micron (150 total) up to 2 x 175 micron (350 total)
- 4-roller design to give exceptionally high quality lamination results
- 800mm speed – 159 A4 standard pouches per hour, 222 HighSpeed™ A4 pouches
- Automatic safety shut off after 1 hour
- Reverse button for any misfeeds



OFFICE



HeatSeal™ H425

Perfect for multi-application lamination purpose in a medium to high volume environment.

- Pouch capability from 2 x 75 micron (150 total) up to 2 x 250 micron (500 total)
- 4-roller design for exceptionally high quality lamination results
- 400mm speed – 80 standard A4 pouches per hour, 114 HighSpeed™ A4 pouches
- Variable digital temperature control
- Simple, clear user guidelines
- Automatic safety shut off after 1 hour
- Reverse button for any misfeeds

Model	Lamination Width	Product Code
H425	A3 Max (324mm)	1702820 EU
		1702830 UK



OFFICE





Elite Laminator

Educational laminator specifically designed for educational needs and applications.

- *Carrier only machine*
- 340mm entry accepts pouch sizes from ID up to A3
- Handles pouches up to 2 x 180 (360 total) micron thickness
- Fixed speed – 550mm/min more than 100 standard pouches per hour
- Variable temperature setting
- Reverse feature for accidental mis-feeding
- Security slot for use with Kensington Microsaver



Carrier Only

Model	Lamination Width	Product Code
Elite	A3 Max (340mm)	2101283 UK
		2101794 EU



HeatSeal™ H415 Laminator HeatSeal™ H405 Laminator

High quality office laminator.

- *Variable temperature control including cold setting for self-seal pouches*
- H415 HS has 340mm throat width for max A3 laminating
- H405 HS has 250mm throat width for max A4 laminating
- Handles pouches up to 2 x 180 (360 total) micron thickness
- Fast warm-up time with 'ready' light
- Reverse feature
- Fixed speed – 550 mm/min more than 100 standard pouches per hour 150 HighSpeed pouches per hour
- Comes complete with a generous starter pack of assorted pouches



Model	Lamination Width	Product Code
H415	A3 Max (340mm)	2100974 EU
		2100973 UK
H405	A4 Max (250mm)	2100972 EU
		2100971 UK

QuickStart™ H420 A3 Laminator

Quality A3 laminator with Ultra fast warm up and SureFlow anti jam performance.

- Ready to use in less than 1 minute - 5 times faster than standard!
- 18 A4 sheets in 6 minutes - using GBC HighSpeed™ pouches in the time it takes competition to do 1.
- Clear easy to use temperature settings
- Laminate all popular sizes from ID to A3
- Pouches: up to 2 x 175 micron (350 total)
- Automatic shut off after 30 minutes
- SureFlow anti jam performance as standard give you stress free lamination
- Patented Quick release technology to easily remove mis-feeds
- 600 per minute throughput speed

Model	Lamination Width	Product Code
H420	A3 Max (324mm)	4400094 EU
		4400094 CH

* Lamination Width is the maximum insert width



OFFICE



EDUCATION



For a faster finish... QuickStart™

The World's fastest pouch laminators!



QuickStart™ H320 A3 Laminator

Quality A3 laminator with Ultra fast warm up and SureFlow anti jam performance.

- Ready to use in less than 1 minute - 5 times faster than standard!
- 15 A4 sheets in 6 minutes - using GBC HighSpeed™ pouches in the time it takes competition to do 1.
- Clear easy to use temperature settings
- Laminate all popular sizes from ID to A3
- Pouches: up to 2 x 125 micron (250 total)
- Automatic shut off after 30 minutes
- SureFlow anti jam performance as standard give you stress free lamination
- Patented Quick release technology to easily remove mis-feeds
- 500 per minute throughput speed



For a faster finish... QuickStart™



Model	Lamination Width	Product Code
H320	A3 Max (324mm)	4400093 EU
		4400093 CH

* Lamination Width is the maximum insert width



OFFICE



EDUCATION





HeatSeal™ H312 & HeatSeal™ H212

Our leading-edge SureFlow™ active anti-jam technology ensures that you produce perfect lamination results, time after time.

- Active anti-jam technology
- HeatSeal™ H312 has 324mm throat width for max A3 laminating
- HeatSeal™ H212 has 241mm throat width for max A4 laminating
- Pouch capability from 2 x 75 micron (150 total), 2 x 100 micron (200 total) & 2 x 125 micron (250 total)
- Photo quality lamination capable up to A3 pouches
- 330 mm/min. 63 standard pouches per hour. 94 HighSpeed pouches per hour
- Automatic safety shut off after 1 hour
- Release lever for any misfeeds



with A3 model



HOME



OFFICE



EDUCATION

Model	Lamination Width	Product Code
H312	A3 Max (324mm)	4400396 EU
		4400395 UK
H212	A4 Max (241mm)	4400394 EU
		4400393 UK



Simple, stress-free lamination at its best

HeatSeal™ H315 HighSpeed™ & HeatSeal™ H215 HighSpeed™

Up to 45% faster than the standard laminator. For increased productivity without compromising quality.

- Increased productivity
- HeatSeal™ H315 HighSpeed has 324mm throat width for max A3 laminating
- HeatSeal™ H215 HighSpeed has 241mm throat width for max A4 laminating
- Pouch capability from 2 x 75 micron (150 total), 2 x 100 micron (200 total) & 2 x 125 micron (250 total)
- Stylish compact design with simple clear temperature guidelines
- 500 mm/min. 99 standard pouches per hour. 140 HighSpeed pouches per hour
- Automatic shut off after 1 hour
- Release lever for any misfeeds



HOME



OFFICE



EDUCATION

Model	Lamination Width	Product Code
H315	A3 Max (324mm)	4400433 EU
		4400434 UK
H215	A4 Max (241mm)	4400431 EU
		4400432 UK



with A3 model



Choose the fastest 2 roller office laminators on the market to maximise lamination productivity



HeatSeal™ H75 & HeatSeal™ H65

When occasional business or home use includes an A3 sign or poster, the HeatSeal™ H75 is the solution.

- Designed for either 2 x 75 micron (150 total) and 2 x 125 micron (250 total) pouches only
- H75 has 318mm throat width for max A3 laminating
- H65 has 241mm throat width for max A4 laminating
- 2 x Heated Roller technology
- From ID size to A3
- 305mm/min fixed speed 60 standard pouches per hour. 87 HighSpeed pouches per hour
- 2 Fixed temperature settings
- Carrier free operation
- Misfeed release function



HOME OFFICE EDUCATION



The HeatSeal H65 and H75 feature an Exit Tray that keeps the laminated product straight on exit minimising curling and warping.

Model	Lamination Width	Product Code
H75	A3 Max (318mm)	1701950 EU
		1701960 UK
H65	A4 Max (241mm)	1701920 EU
		1701930 UK

CL90

A great option for the home, hobbyist or absolute beginner.

Laminates from ID size to A4.

- *Simple to use*
- 2 x Heated Roller technology
- Designed for 2 x 125 micron (250 total) pouches only
- 240 mm/min fixed speed
- 2 Fixed Temperature Settings, Photo and Standard
- Carrier free operation



HOME

Model	Lamination Width	Product Code
CL 90	A4 Max (241mm)	1701800 EU
		1701810 UK



Photo A4 Laminator with Trimmer

This machine is simple to use and includes an A4 trimmer.

Laminates photo and standard paper up to A4 size.

- Includes A4 trimmer – cuts 5 sheets or 1 laminated document
- Lamination width from ID to A4 Max (241mm)
- 2 x Heated Roller technology
- Designed for 2 x 75 micron (150 total) pouches
- Fixed Speed
- 2 Temperature Settings: Photo Paper and standard paper
- Includes 12 framed pouches



Model	Lamination Width	Product Code
PhotoA4	A4 Max (241mm)	4400397 EU 4400388 UK



smart Laminator

A great option for the home.

Laminates photo and standard paper up to A4 size.

- Lamination width from ID to A4 Max (241mm)
- Designed for 2 x 75 micron pouches (150 total)
- Fixed Speed
- 1 temperature setting for 2 x75 micron



Model	Lamination Width	Product Code
Smart	A4 Max (241mm)	4400414 EU 4400415 UK



OFFICE



EDUCATION



DocuSeal™ 40P

Designed specifically for card sizes and simple to use.

- Up to 200 Credit Cards per hour capacity
- Pouch capability – 2 x 125 micron (250 total)
- 112mm throat width for Max A7
- Photo Quality
- Carrierless performance
- Heated Roller Technology
- 290 mm/min fixed speed
- Fixed 'Hot & Cold' settings

Model	Lamination Width	Product Code
DS40	A7 Max (112mm)	1701290 EU 1701300 UK



GBC® BadgeMates™

The BadgeMate™ range is ideal for creating professional ID cards and badges with your laminator and accessories.

Description	Detail	Size (mm)	Quantity	Pouch Thickness Micron	Product Code
Strap	Black leather straps for Luggage Tags	120 x 10 mm	100	n/a	EB510010
Holder	Badge holder (horizontal)	65 x 90 mm	100	n/a	EH700000
Government Badge Kit	Government pouch w/ Slot + Clips	65 x 95 mm	25	2 x 125 mic (250 total)	3740530
Luggage Tag Kit	Luggage Pouch w/ Slot + Loops	64 x 108 mm	25	2 x 180 mic (360 total)	41675E
Badge Clip	Metal clip & nylon strap	n/a	100	n/a	EH600000
Badge Clip	Metal clip & plastic strap	n/a	100	n/a	EH500000
Badge Clip	Plastic clip & nylon strap	n/a	100	n/a	EH610000
Badge Clip	Metal clip & nylon strap	n/a	50	n/a	41614E
Combination Clip	Safety Pin/Clip	n/a	100	n/a	IB505638
Chain	30" neckchain	760 mm	50	n/a	41613E



Badge Clips

- Plastic or Metal Badge holders with either clip or safety pin for securing badges, passes and ID cards to clothes.




Badge Holders

- Plastic wallets to display visitor, identity or access cards. Pre-punched for clips or chains.



Neck Chains

- Light weight chromium plated chains to display or carry identity passes or access cards.



Plastic Loops

- Discreet, clear plastic loops to affix laminated address labels and/or identity cards to luggage, bags or personal items.



Luggage Straps

- Simulated leather straps to affix laminated identity or business cards to briefcases and luggage.



Specific Items

- Specific kits including pouches with pre-punched slots, and loops or clips. Useful and valuable kits for many uses including luggage tags, and specific official sized documents.



Accessories

For your laminated documents an accessories range has been designed to perfect and personalise your document as desired.

Description	Detail	Size (mm)	Quantity	Product Code
Hand Photo Punch	Photoline	25 x 32 mm	1	IB505140
Hand Photo Punch	Passport	35 x 45 mm	1	IB505157
Slot Punch	For Badge clips	16 x 3 mm	1	1101667
Desk Punch	For Badge clips	16 x 3 mm	1	1690030
Corner Rounder	80 sheets (80 gsm) or Mouse Pads	n/a	1	1121032
Corner Rounder	1/2" Cutter die	n/a	1	1121036
Corner Rounder	1/4" Cutter die	n/a	1	1121034
Corner Rounder	1/8" Cutter die	n/a	1	1121033
Carrier	A3 size	up to A3	5	EK03000
Carrier	A4 size	up to A4	5	EK04000
Cleaning Sheet	A4	n/a	5	EK50000

Round Corner-Cutter

- Achieve the professional look by round cornering photos, mouse pads and even laminated sheets and posters to negate corner damage.



Photo-Punch

- A handy scissor design specifically for the use of precise trimming out of ID photos prior to laminating and ID card creation.



Slot Punches

- Available in two forms – Desk Top or Hand – to punch a 16 x 3 mm rectangular slot in laminated cards/sheets. Use with GBC® Badge Clips, Luggage Straps and Loops.



Carriers & Cleaning Sheets

- Protective carriers are to be used when the media is uncertain or the relationship between media and laminator heat speed is unclear. Protective carriers also assist in maintaining laminator rollers free of 'adhesive ooze-out' minimising wear and tear.
- Cleaning sheets should be used to remove excess adhesive or other non-desirable material from the laminator rollers to achieve optimum results.



minimum effort . . .



. . . maximum results!









Feeds, laminates and trims A5, A4, A3 and continuous banners. . .







. . . all at the touch of a button!

						
	AutoUltima™	RollSeal™EzLoad™	HeatSeal™ 4500LM	HeatSeal™ 3500LM	HeatSeal™ 4000LM	HeatSeal™ H535
Photo quality			✓	✓	✓	✓
Heat-up Time (75 mic)	1 min.	1 min.	4-8 min.	2.5-8.5 min.	2 min.	3-5 min.
Speed mm/min.	800	1000	190-1500	160-800	470	1000
Temperature control	Variable	Variable	Variable (Display)	Variable (Display)	Variable	Variable (Display)
Cold Lamination	✗		✓	✓	✓	✓
Speed control	Fixed	Fixed	Variable / 6 std Settings	Variable / 6 std Settings	Fixed	Variable / 6 std Settings
Rollers	xx	N/A	4 + Heated Plates	4+ Heated Plates	4	4
Max. Document size	Banner / A3	Banner	A2	A3	A2	A3
Max pouch thickness	2 x 125 micron (250 total)	2 x 250 micron (500 total)	2 x 250 micron (500 total)	2 x 250 micron (600 total)	2 x 250 micron (500 total)	2 x 250 micron (500 total)
Ready Lamp	✓	✓			✓	✓
Release Function						
Reverse	✓	✓	✓	✓		✓
Display	✓		✓	✓		✓
Pouch counter	✓					✓
Auto switch off	✓ (after 15 mins)	✓				✓
A4 Laminates /hr*	204	200	297	158	93	200
HighSpeed Pouch Laminates/Hr*	N/A	277	417	222	131	277
Warranty	1 year	2 years	2 years	2 years	2 years	2 years
Dimensions (mm)	483 x 787 x 686	430 x 460 x 230	673 x 318 x 178	586 x 266 x 133	675 x 190 x 105	527 x 280 x 159
Certification	GS / TÜV / CE	CE	GS / TÜV / CE	GS / TÜV / CE	GS / TÜV / CE	GS / TÜV / CE
Weight	32kg	16 kg w/out rolls	22kg	14.1kg	6.9kg	9.86kg
Power Consumption, Watts / Amps	230v / 50Hz 3.5 amps	1350W / 4.5A	1500W / 6.8A	1100W / 4.7A	1300W / 6.0A	1100W / 4.7A
Product Code	4400095EU 4400095CH	1701640EU 1701660UK 1701670CH	1700520EU 1700530UK 1700520CH	1700320EU 1700330UK 1700320CH	IB509551EU IB509629UK IB509568CH	1701590EU 1701600UK 1701610CH

						
	HeatSeal™ H520	HeatSeal™ H425	Elite	H415	H405	
Photo quality	✓	✓	✓	✓	✓	
Heat-up Time (75 mic)	5 min.	5 min.	4 mins	4 mins	4 mins	
Speed mm/min.	800	400	550	550	550	
Temperature control	Variable	Variable	Variable	Variable	Variable	
Cold Lamination	✓	✓	✓	✓	✓	
Speed control	Fixed	Fixed	Fixed	Fixed	Fixed	
Rollers	4	4	4	4	4	
Max. Document size	A3	A3	A3	A3	A4	
Max pouch thickness	2 x 180 micron (360 total)	2 x 250 micron (500 total)	2 x 180 micron (360 total)	2 x 180 micron (360 total)	2 x 180 micron (360 total)	
Ready Lamp	✓	✓	✓	✓	✓	
Release Function						
Reverse	✓	✓	✓	✓	✓	
Display						
Pouch counter						
Auto switch off	✓	✓				
A4 Laminates /hr*	159	80	100	100	100	
HighSpeed Pouch Laminates/Hr*	222	114	150	150	150	
Warranty	2 years	2 years	2 years	2 years	2 years	
Dimensions (mm)	615 x 185 x 240	615 x 185 x 240	645 x 262 x 167	130 x 580 x 225	125 x 500 x 225	
Certification	CE / TÜV	CE / TÜV	CE	CB	CB	
Weight	6.3 kg	5.5 kg	7.49 kg	4.5 kg	3.4 kg	
Power Consumption, Watts / Amps	600W / 2.5A	750W / 3.5A	230W / 2.6A	650W / 2.8A	600W / 2.6A	
Product Code	1702860EU 1702870UK	1702820EU 1702830UK	2101283UK	2100974EU 2100973UK	2100972EU 2100971UK	



						
QuickStart H420	QuickStart H320	HeatSeal™ H312	HeatSeal™ H212	HeatSeal™ H315	HeatSeal™ H215	
✓	✓	✓	✓	✓	✓	Photo quality
1 min.	1 min.	5 min.	5 min.	5 min.	5 min.	Heat-up Time (75 mic)
600	500	330	330	500	500	Speed mm/min.
Variable	Variable	Variable	Variable	Variable	Variable	Temperature control
✓	✓	✓	✓			Cold Lamination
Fixed	Fixed	Fixed	Fixed	Fixed	Fixed	Speed control
2	2	2	2	2	2	Rollers
A3	A3	A3	A4	A3	A4	Max. Document size
2 x 175 micron (350 total)	2 x 175 micron (250 total)	2 x 125 micron (250 total)	2 x 125 micron (250 total)	2 x 125 micron (250 total)	2 x 125 micron (250 total)	Max pouch thickness
✓	✓	✓	✓	✓	✓	Ready Lamp
✓	✓	✓	✓	✓	✓	Release Function
						Reverse
x	x					Display
						Pouch counter
✓ (after 30 mins.)	✓ (after 30 mins.)	✓	✓	✓	✓	Auto switch off
120	94	63	63	94	94	A4 Laminates /hr*
170	140	94	N/A	140	N/A	HighSpeed Pouch Laminates/Hr*
2 years	2 years	2 years	2 years	2 years	2 years	Warranty
400 x 173 x 117	400 x 173 x 117	476 x 173 x 117	400 x 173 x 117	530 x 140 x 140	470 x 140 x 140	Dimensions (mm)
GS / TÜV / CE	GS / TÜV / CE	CE / TÜV	CE / TÜV	CE / TÜV	CE / TÜV	Certification
3.5kg	3.5kg	3.9kg	2.8kg	5.3kg	2.2kg	Weight
500W	500W/4A	500W / 2.2A	500W / 2.2A	500W / 2.2A	500W / 2.2A	Power Consumption, Watts / Amps
4400093EU 4400093CH	4400094EU 4400094CH	4400396EU 4400395UK	4400394EU 4400393UK	4400433EU 4400434UK	4400431EU 4400432UK	Product Code

						
HeatSeal™ H75	HeatSeal™ H65	CL90	Photo A4 Laminator	Smart Laminator	DocuSeal 40P	
✓	✓	✓	✓	✓	✓	Photo quality
8 min.	8 min.	6 min.	4 min	4 min	3-5 min.	Heat-up Time (75 mic)
305	305	240	240	240	290	Speed mm/min.
Photo / Std.	Photo / Std.	Photo / Std.	Photo / Std.	Hot	Hot / Cold	Temperature control
				✓	✓	Cold Lamination
Fixed	Fixed	Fixed	Fixed	Fixed	Fixed	Speed control
2	2	2	2	2	2	Rollers
A3	A4	A4	A4	A4	A7	Max. Document size
2 x 125 micron (250 total)	2 x 125 micron (250 total)	2 x 125 micron (250 total)	2 x 75 micron (150 total)	2 x 75 micron (150 total)	2 x 125 micron (250 total)	Max pouch thickness
✓	✓	✓	✓	✓	✓	Ready Lamp
✓	✓					Release Function
						Reverse
						Display
						Pouch counter
						Auto switch off
60	60	48	48	48	200 Credit Cards	A4 Laminates /hr*
87	N/A	N/A	N/A	N/A	N/A	HighSpeed Pouch Laminates/Hr*
2 years	2 years	2 years	2 years	2 years	2 years	Warranty
451 x 108 x 102	362 x 108 x 102	390 x 85 x 110	360 x 81 x 133	360 x 81 x 133	273 x 185 x 113	Dimensions (mm)
GS / TÜV / CE	GS / TÜV / CE	GS / TÜV / CE	CE	CE	GS / TÜV / CE	Certification
3.0kg	2.5kg	1.9kg	1.8kg	1.8kg	1.3kg	Weight
200W / 0.87A	150W / 0.65A	260W / 1.1A	260W / 1.1A	260W / 1.1A	300W / 1.3A	Power Consumption, Watts / Amps
1701950EU 1701960UK	1701920EU 1701930UK	1701800EU 1701810UK	4400397EU 4400388UK	4400414EU 4400415UK	1701290EU 1701300UK	Product Code