

HSM Rotary Trimmers and Guillotines



HSM ROTARY TRIMMERS

Technology plays a central role: The cutting heads of our rotary trimmers are all equipped with revolving, precision-ground round blades, which are re-sharpened by the base plate each time a cut is made. This ensures a permanently sharp cut. Films and other soft materials can

also be cut to size by our rotary trimmers with a maximum cutting length of 1,450 mm.

All HSM rotary trimmers have an automatic, built-in contact pressure system which is applied at the cutting edge to prevent the paper, photographs and films from slipping.



A cut above the rest.



Ergonomic cutting head for perfect handling.



The cutting blades are covered completely to ensure user safety.



Scales accurate to the millimetre guarantee absolute precision work.



A quick turn of the lock enables the cutting head to be replaced with ease.



HSM ROTARY TRIMMERS

Technical features:

- Ground, self-sharpening roller blade
- Sturdy blade bearing enables precise cutting
- Cutting possible in both directions
- Torsion-resistant due to the special geometry of the base plate
- Automatic integrated pressing against the cutting edge prevents paper slippage
- Stable, torsion-resistant asymmetrical guide axis
- Cutting head locks completely in the end position ("parking position")
- Stable, robust metal/aluminium base plate, imprinted with cm/inch scale and all common DIN formats
- T 2606, T 3206, T 4606 with angle scale
- Cutting head extremely easy to exchange due to the turning lock in the side of the guide axis (T 2606, T 3206, T 4606)



HSM base frame of high-quality metal for the rotary trimmers HSM T 7220, HSM T 9610 and HSM T 15007 (Dimensions: L 940/1230/1680 x W 420 x H 800 mm)

HSM



T 2606

Small formats



- Cutting length 260 mm
- Maximum paper size: photo formats DIN A5 / DIN A4 landscape
- Paper thickness up to 0.6 mm*
- Cutting capacity: 6 sheets*
- Cutting blade and self-sharpening roller cutter made of hardened steel
- Great operational safety due to completely covered cutting blade
- Sturdy, robust metal base plate - scale printed in cm/inches
- Weight 0.8 kg
- Dimensions 367 x 210 x 62 mm



T 7220

Powerful cutting



- Cutting length 720 mm
- Maximum paper size: photo formats DIN A2
- Paper thickness up to 2.0 mm*
- Cutting capacity: 20 sheets*
- Cutting blade and self-sharpening roller cutter made of hardened steel
- Great operational safety due to completely covered cutting blade
- Sturdy, robust metal base plate - scale printed in cm/inches
- Weight 5.5 kg
- Dimensions 985 x 300 x 130 mm

* Per cycle with DIN A4, 70g/m²



T 3206

For the office



- Cutting length 320 mm
- Maximum paper size: DIN A4 / DIN A3 landscape
- Paper thickness up to 0.6 mm*
- Cutting capacity: 6 sheets*
- Cutting blade and self-sharpening roller cutter made of hardened steel
- Great operational safety due to completely covered cutting blade
- Sturdy, robust metal base plate
- scale printed in cm/inches
- Weight 0.9 kg
- Dimensions 427 x 210 x 62 mm



T 4606

For the office with larger-scale needs



- Cutting length 460 mm
- Maximum paper size: DIN A3 / DIN A2 landscape
- Paper thickness up to 0.6 mm*
- Cutting capacity: 6 sheets*
- Cutting blade and self-sharpening roller cutter made of hardened steel
- Great operational safety due to completely covered cutting blade
- Sturdy, robust metal base plate
- scale printed in cm/inches
- Weight 1.2 kg
- Dimensions 567 x 210 x 62 mm




T 9610

For large formats



- Cutting length 1000 mm
- Maximum paper size: DIN A1
- Paper thickness up to 1.0 mm*
- Cutting capacity: 10 sheets*
- Cutting blade and self-sharpening roller cutter made of hardened steel
- Great operational safety due to completely covered cutting blade
- Sturdy, robust metal base plate
- scale printed in cm/inches
- Weight 7.3 kg
- Dimensions 1320 x 300 x 130 mm



T 15007

The biggest professional cutter



- Cutting length 1450 mm
- Maximum paper size: DIN A0
- Paper thickness up to 0.7 mm*
- Cutting capacity: 7 sheets*
- Cutting blade and self-sharpening roller cutter made of hardened steel
- Great operational safety due to completely covered cutting blade
- Sturdy, robust metal base plate
- scale printed in cm/inches
- Weight 9.8 kg
- Dimensions 1760 x 300 x 130 mm

HSM GUILLOTINES


So you always have the thick end of the wedge: high-quality ground cutting blade made of quality steel, very easy to operate clamping device, completely precise side limit - these features of our guillotines enable you to cut any document to size. Photos, plastic films and other films are also no problem

for our HSM guillotines with their sturdy, completely metal body and cutting lengths of 260 to 460 mm.

Our stack cutter can even cut 600 sheets of paper (70g/m²) at once, which makes him especially suitable for special users such as copy shops, agencies and schools.



On the cutting edge.



- Steel blades
- Folding guard plate
- High-quality metal body
- Variable rear stop
- Variable frontal stop limit with paper supports
- Indestructible plastic
- Precise side limit stop



HSM cutting machines from the CA and CS series with practical, laterally folding guard plate.



Scaling in cm/inches and DIN formats.



The high-quality, ground blade guarantees a clean, sharp cut, even with frequent use.



Ergonomically shaped handle.



HSM GUILLOTINES

OFFICE

Value for money

- Easy-to-operate clamping device with hand protection guard
- Sturdy blade bearing enables exact cutting
- High-quality steel cutting blade
- Precise, closed side limit for completely straight cut edges
- Ergonomically designed handle for optimum application of force
- Sturdy metal base plate
- With cm/inch, angle and special format scales



Manual paper pressing



Automatic paper pressing



High-quality ground Solinger cutting blade



Hardened steel cutting blade



Variable rear stop



Variable front stop limit



Folding guard plate



Ground, self-sharpening roller blade

HSM



CM 2606

Compact and powerful



- Cutting length: 260 mm
- Max. paper size DIN A5/DIN A4 landscape
- Cutting capacity up to 6 sheets*
- Paper thickness: max. 0.6 mm*
- Manual paper pressing
- Safe cutting with manual push rail – two-hand operation
- Weight: 0.8 kg
- Dimensions: 489 x 194 x 62 mm



CM 3206

The all-rounder



- Cutting length: 320 mm
- Max. paper size: DIN A4/DIN A3 landscape
- Cutting capacity up to 6 sheets*
- Paper thickness: 0.6 mm*
- Manual paper pressing
- Safe cutting with manual push rail – two-hand operation
- Weight: 0.9 kg
- Dimensions: 549 x 194 x 62 mm

* Per cycle with DIN A4, 70g/m²



CM 3815

The smallest of the big guys



- Cutting length: 380 mm
- Max. paper size: DIN A4/DIN A3 landscape
- Cutting capacity up to 15 sheets*
- Paper thickness: 1.3 - 1.5 mm*
- Manual paper pressing
- Hardened steel cutting blade
- Double personal protection thanks to safety grip and plastic shield
- Top and bottom side limit stop
- Variable rear limit stop can be fastened to side limit stop
- Precise limit stop lines
- cm and inch scale
- Weight: 3.6 kg
- Dimensions: 600 x 370 x 315 mm



CM 3625

For especially sharp cuts



- Cutting length 360 mm
- Max. paper size: DIN A4/DIN A3 landscape
- Cutting capacity up to 25 sheets*
- Paper thickness 2.1 – 2.5 mm*
- Manual paper pressing
- High-quality, ground blade made of hardened steel
- Double protection thanks to safety grip and guard plate
- Variable rear limit stop can be fastened to side limit stop
- Precise limit stop lines
- cm and inch scale
- Weight 5.4 kg
- Dimensions 394 x 574 x 427 mm



CM 4315

Long cut



- Cutting length: 430 mm
- Max. paper size: DIN A3/DIN A2 landscape
- Cutting capacity up to 15 sheets*
- Paper thickness: 1.3 - 1.5 mm*
- Manual paper pressing
- Hardened steel cutting blade
- Precise limit stop lines
- Top and bottom side limit
- Variable rear limit stop can be fastened to side limit stop
- cm and inch scale
- Weight: 4.4 kg
- Dimensions: 650 x 435 x 335 mm



CM 4625

Sturdy and practical



- Cutting length 460 mm
- Max. paper size: DIN A3/DIN A2 landscape
- Cutting capacity up to 25 sheets*
- Paper thickness of 2.1 – 2.5 mm*
- Manual paper pressing
- High quality, ground Solinger blade made of hardened steel
- Double protection thanks to safety grip and guard plate
- Variable rear limit stop can be fastened to side limit stop
- Precise limit stop lines
- cm and inch scale
- Weight of 6.6 kg
- Dimensions 394 x 687 x 447 mm

HSM GUILLOTINES

OFFICE

The upper middle range

- Sturdy metal body - with scale printed in cm/inch formats
- Ergonomically shaped handle
- Rear limit fixed for high stability
- Guillotine can be locked in the "parking position" during transport or storage
- Sturdy blade bearing enables exact cutting
- High-quality grounded Solinger blade made of hardened steel
- Folding guard plate

Innovation – made by HSM

The HSM guillotines CA 3625, CA 3640, CS 3640, CA 4640 and CS 4640 can be stored in the smallest of spaces thanks to the folding guard plate.



CA 3625

The automatic basic model

- Cutting length 360 mm
- Max. paper size: DIN A4/DIN A3 landscape
- Cutting capacity up to 25 sheets*
- Paper thickness 2.1 – 2.5 mm*
- Automatic paper pressing
- High-quality, ground Solinger blade made of hardened steel
- Variable rear limit stops can be fastened to side limit stop
- Double personal protection thanks to safety grip and folding guard plate
- Precise limit lines
- cm and inch scale
- Weight 5.6 kg
- Dimensions 394 x 608 x 427 mm



CA 3640

High cutting performance

- Cutting length 360 mm
- Max. paper size: DIN A4/DIN A3 landscape
- Cutting capacity up to 40 sheets*
- Paper thickness 3.6 – 3.9 mm*
- Automatic paper pressing
- High quality, ground Solinger blade made of hardened steel
- Variable rear limit stops can be fastened to side limit stop
- Double personal protection thanks to safety grip and folding guard plate
- Precise limit lines
- cm and inch scale
- Weight 6.2 kg
- Dimensions 394 x 608 x 427 mm



* Per cycle with DIN A4, 70g/m²



CS 3640

First class price and high performance



- Cutting length 360 mm
- Max. paper size: DIN A4/DIN A3 landscape
- Cutting capacity up to 40 sheets*
- Paper thickness 3.6 – 3.9 mm*
- Automatic paper pressing
- High quality, ground Solinger blade made of hardened steel
- Precise limit stop lines

- Variable rear limit stop can be fastened to side limit stop
- Double personal protection thanks to safety grip and folding guard plate
- Variable frontal limit stop can be used on both sides, with paper supports
- cm and inch scale
- Weight 8.7 kg
- Dimensions 394 x 608 x 427 mm



CS 4640

For the professional



- Cutting length 460 mm
- Max. paper size: DIN A3/DIN A2 landscape
- Cutting capacity up to 40 sheets*
- Paper thickness 3.6 – 3.9 mm*
- Automatic paper pressing
- High quality, ground Solinger blade made of hardened steel
- Precise stop lines
- Variable rear limit stop can be fastened to side limit stop

- Double personal protection thanks to safety grip and folding guard plate
- Variable frontal limit stop can be used on both sides, with paper supports
- cm and inch scale
- Weight 10.6 kg
- Dimensions 394 x 711 x 457 mm



CA 4640

For special requirements



- Cutting length 460 mm
- Max. paper size: DIN A3/DIN A2 landscape
- Cutting capacity up to 40 sheets*
- Paper thickness 3.6 – 3.9 mm*
- Automatic paper pressing
- High quality, ground Solinger blade made of hardened steel
- Precise limit stop lines

- Double personal protection thanks to safety grip and folding guard plate
- Variable rear limit stop can be fastened to side limit stop
- cm and inch scale
- Weight 7.6 kg
- Dimensions 394 x 711 x 457 mm

HSM STACK CUTTER

For everyone who has large quantities of paper that need cutting to the same size:

The HSM stack cutter can cut up to 600 sheets in one cycle!

R 48000

For stacked sheets of paper



- Manual paper pressing reduces the force required for cutting
- Safety cover and lock
- Cutting length: 480 mm
- Maximum paper size: DIN A3 / DIN A2 landscape
- Cutting capacity up to 600 sheets*
- Indication of the cutting line
- Precise, spindle-controlled rear stop
- Precise limit stop lines in cm and inches
- Sturdy, stable steel construction
- Weight: 51 kg
- Dimensions: 760 x 720 x 460 mm (with open lever: 1000 mm)
- **Accessory: base frame, height 750 mm, weight 10 kg**





Accessory: base frame for HSM R 48000

PRODUCT OVERVIEW

HSM ROTARY TRIMMERS

Model	Cutting length	Max. paper size	Paper thickness*	Cutting capacity*	Approximate weight	Dimensions (L x W x H)
T 2606	260 mm	DIN A5 / DIN A4 landscape	0.6 mm	6 sheets	0.8 kg	367 x 210 x 62 mm
T 3206	320 mm	DIN A4 / DIN A3 landscape	0.6 mm	6 sheets	0.9 kg	427 x 210 x 62 mm
T 4606	460 mm	DIN A3 / DIN A2 landscape	0.6 mm	6 sheets	1.2 kg	567 x 210 x 62 mm
T 7220	720 mm	DIN A2	2.0 mm	20 sheets	5.5 kg	985 x 300 x 130 mm
T 9610	1000 mm	DIN A1	1.0 mm	10 sheets	7.3 kg	1320 x 300 x 130 mm
T 15007	1450 mm	DIN A0	0.7 mm	7 sheets	9.8 kg	1760 x 300 x 130 mm

HSM STACK CUTTER

Model	Cutting length	Max. paper size	Cutting capacity*	Paper pressing	Weight	Dimensions (L x W x H)
R 48000	480 mm	DIN A3 / DIN A2 landscape	600 sheets	Manual	51.0 kg	760 x 720 x 460 mm

HSM GUILLOTINES

Model	Cutting length	Max. paper size	Paper thickness*	Cutting capacity*	Paper pressing Approximate	weight	Dimensions (L x W x H)
CM 2606	260 mm	DIN A5 / DIN A4 landscape	0.6 mm	6 sheets	Manual	0.8 kg	489 x 194 x 62 mm
CM 3206	320 mm	DIN A4 / DIN A3 landscape	0.6 mm	6 sheets	Manual	0.9 kg	549 x 194 x 62 mm
CM 3815	380 mm	DIN A4 / DIN A3 landscape	1.3 - 1.5 mm	15 sheets	Manual	3.6 kg	600 x 370 x 315 mm
CM 4315	430 mm	DIN A3 / DIN A2 landscape	1.3 - 1.5 mm	15 sheets	Manual	4.4 kg	650 x 435 x 335 mm
CM 3625	360 mm	DIN A4 / DIN A3 landscape	2.1 - 2.5 mm	25 sheets	Manual	5.4 kg	394 x 574 x 427 mm
CA 3625	360 mm	DIN A4 / DIN A3 landscape	2.1 - 2.5 mm	25 sheets	Automatic	5.6 kg	394 x 608 x 427 mm
CA 3640	360 mm	DIN A4 / DIN A3 landscape	3.6 - 3.9 mm	40 sheets	Automatic	6.2 kg	394 x 608 x 427 mm
CS 3640	360 mm	DIN A4 / DIN A3 landscape	3.6 - 3.9 mm	40 sheets	Automatic	8.7 kg	394 x 608 x 427 mm
CM 4625	460 mm	DIN A3 / DIN A2 landscape	2.1 - 2.5 mm	25 sheets	Manual	6.6 kg	394 x 687 x 447 mm
CA 4640	460 mm	DIN A3 / DIN A2 landscape	3.6 - 3.9 mm	40 sheets	Automatic	7.6 kg	394 x 711 x 457 mm
CS 4640	460 mm	DIN A3 / DIN A2 landscape	3.6 - 3.9 mm	40 sheets	Automatic	10.6 kg	394 x 711 x 457 mm

HSM GUILLOTINES – The features

Model	Manual paper pressing	Automatic paper pressing	Solinger cutting blade	Steel blades made of hardened steel	Variable rear stop	Variable frontal stop limit	Folding guard plate
CM 2606	X			X			
CM 3206	X			X			
CM 3815	X			X	X		
CM 4315	X			X	X		
CM 3625	X			X	X		
CA 3625		X		X	X		X
CA 3640		X	X		X		X
CS 3640		X	X		X	X	X
CM 4625	X		X		X		
CA 4640		X	X		X		X
CS 4640		X	X		X	X	X



Manual paper pressing



Automatic paper pressing



High-quality ground Solinger cutting blade



Cutting blade of hardened steel



Variable rear stop



Variable front stop



Folding guard plate



Ground, self-sharpening roller blade

**Germany:**

HSM Pressen GmbH + Co. KG
 Bahnhofstr. 115
 D-88682 Salem
 Tel.: +49 (0) 75 53/82 20
 Fax: +49 (0) 75 53/82 21 60
 info@hsm-online.de
 www.hsm-online.de

Sales:

Werk Frickingen
 Austraße 1
 D-88699 Frickingen
 Tel.: +49 (0) 75 53/82 20
 Fax: +49 (0) 75 53/82 21 60
 e-mail: info@hsm-online.de
 www.hsm-online.de

International:

HSM Pressen GmbH + Co. KG
 Bureau de liaison France
 Z.I.2, rue de l'Énergie / B.P. 162
 F-67726 Hoert Cedex
 Tél.: +33 (0) 3 88 69 29 39
 Fax: +33 (0) 3 88 69 29 50
 HSM.France@hsm-online.de

HSM Pressen GmbH + Co. KG
 Oficina Barcelona
 Plaça dels Nostres Avis, 3
 E-08450 Llinars del Vallès
 BARCELONA
 Teléfono +34 (0) 93 841 07 60
 Telefax +34 (0) 93 841 06 31

HSM of America LLC
 882 H South Matlack Street
 West Chester
 PA 19382
 Telephone: (610) 918-4894
 (800) 613-2110
 Fax: (610) 918-4899
 www.hsmofamerica.com
 e-mail@hsmofamerica.com

HSM (UK) Ltd.
 14 Attwood Road / Zone 1
 Burntwood Business Park
 Burntwood
 Staffordshire
 WS7 3GJ
 +44 (0) 1543 272 480
 +44 (0) 1543 272 080
 info@hsmuk.co.uk
 www.hsmuk.co.uk

www.hsm-online.de

Your HSM partner

HSM