

SECURIO®

SECURITY IS BEAUTIFUL.



HSM®

Document shredding is a necessity. Why not make it as pleasant as possible?

Data security in the office has become an everyday matter of course. This applies both to compliance with data protection laws and the protection of intellectual property rights for a company or individual. We have now made this everyday task fit for the future. We have developed document shredders for the office of today and combined this with our

experience in modern trends. We have focussed on what is important for you. That is of course data protection but also reduced noise emissions, intelligent energy management and a design which fits in perfectly with a modern office environment. The finished product – the new SECURIO.

SECURIO. Security is beautiful.

Style. Tranquility. Efficiency.

SECURIO – a totally new look for today's shredders.

Document shredders have become an integral part of modern offices. Therefore, it is only appropriate that SECURIO shredders are totally state-of-the-art in terms of their design, economic energy management, absolute ease of operation use and low-noise in operation. These combined features produced a document shredder for the future office today.

SECURIO – our credo for ease of use:

- > Simply select the different functions with a single control key: start, stop, temporary and permanent mode.
- > In the event of a paper jam, the reverse function starts automatically (except with SECURIO B22). Alternatively, you can press the "R" button if you wish to operate the reversing function yourself.
- > A transparent front window allows quick and easy site of container capacity and level.
- > A large waste container extends the interval between emptying to save time and money.
- > Separate waste bags for paper and CDs allow waste separation (SECURIO B32 model or higher).



EMCS (energy management and control system) – dealing with energy in a sensible manner.



- > Automatic shut-down function: The SECURIO automatically switches to energy-saving mode 2 minutes after use, i.e. all unnecessary electrical consumers are switched off or their consumption is reduced and you save up to 30%. If you now feed the shredder with paper, it will automatically switch on again.
- > Automatic switch-off: The SECURIO switches off completely if it is not used for 4 hours. As a result, no valuable energy is wasted at night or at the weekend (zero consumption). The SECURIO is immediately operational again at a press of the elegant control key.
- > Temporary mode: To shred small pieces of paper, credit cards or foils, press the control key for only 2 seconds – the SECURIO runs for 10 seconds and then automatically switches to standby.
- > Permanent mode: For large quantities of paper and documents, the control key is pressed for 4 seconds and the SECURIO is activated for continuous operation. The machine automatically returns to the stand-by mode when the operation is completed.
- > Save energy: the EMCS intelligent energy management saves you up to 70 % power consumption compared to a standard standby switch. The SECURIO B22 model is equipped with a ZES (zero energy standby), which means it does not consume any power in the standby mode.

Quiet operating sound.

- > Great emphasis was placed on attractive sound design during the development phase. The SECURIO shreds your documents with a pleasantly quiet operating sound.

SECURIO® B22

Compact and modern in the office at home or a small office.

- > For shredding not only paper and documents but also credit and store cards as well as CDs (5.8 mm strips)
- > Intake width: 240 mm
- > Available as strip cut version with security level 2
- > Available as particle cut version with security levels 3 and 4
- > Removable container: 33 l
- > Height: 600 mm
- > Automatic start/stop function.
- > Stops automatically when the material container is full or when removing
- > ZES (Zero Energy Standby) for zero power consumption



On/off switch with integrated reversing function.



Inspection window for filling level.



Container handle of elegant design.



Removable container for easy removal of the shredded material.

SECURIO B22	Strips		Particles	
Cutting size in mm	3.9	5.8	1.9×15	3.9×30
Security level DIN 32757-1	2	2	4	3
Cutting capacity* 70 g/m ² in sheets	16-18	22-24	9-11	12-14
Cutting capacity* 80 g/m ² in sheets	13-15	17-19	7-9	9-11
Cutting speed in mm/s	80	80	90	90
Intake width in mm	240	240	240	240
Motor	440 W	440 W	440 W	440 W
Voltage / Frequency	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
Dimensions W×D×H in mm	375 x 310 x 600	375 x 310 x 600	375 x 310 x 600	375 x 310 x 600
Weight in kg	11	11	12	12
Container/collection volume in l	33	33	33	33

* max. per cycle DIN A4, 70 g/m² or DIN A4, 80 g/m².

All technical specifications are approximate values. Technical and design modifications reserved.

SECURIO® B24



For installation directly by the desk.

- > For shredding not only paper and documents but also credit and store cards (security level 2 and 3) as well as CDs (security level 2)
- > Intake width: 240 mm
- > Available as strip cut version with security level 2
- > Available as particle cut version with security levels 3 and 4
- > Removable container: 34 l
- > Height: 605 mm
- > Automatic shut-down function
- > Automatic switch-off
- > Temporary mode
- > Permanent mode



At security level 2, the SECURIO B24 can also shred CDs with ease.



Folding safety element provides optimum protection for the operator.



Container handle of elegant design.



Removable container for easy removal of the shredded material.

SECURIO B24	Strips		Particles	
Cutting size in mm	3.9	5.8	1.9×15	4.5×30
Security level DIN 32757-1	2	2	4	3
Cutting capacity* 70 g/m ² in sheets	22-24	28-30	11-13	17-19
Cutting capacity* 80 g/m ² in sheets	19-21	25-27	9-11	14-16
Cutting speed in mm/s	65	65	65	65
Intake width in mm	240	240	240	240
Motor	500 W	500 W	500 W	500 W
Voltage / Frequency	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
Dimensions W×D×H in mm	395×317×605	395×317×605	395×317×605	395×317×605
Weight in kg	18	18	20.5	20.5
Container/collection volume in l	34	34	34	34

* max. per cycle DIN A4, 70 g/m² or DIN A4, 80 g/m².

All technical specifications are approximate values. Technical and design modifications reserved.

SECURIO® B32



Suitable for central use by several people within a department or small office.

- > For shredding not only paper and documents but also credit and store cards (security level 2 and 3) as well as CDs (security level 2)
- > Intake width: 310 mm (DIN A 3)
- > Available as strip cut version with security level 2
- > Available as particle cut version with security levels 3 and 4
- > Container/collection volume: 82 l
- > Height: 793 mm
- > Automatic shut-down function
- > Automatic switch-off
- > Temporary mode
- > Permanent mode
- > Mobile on castors



Special slot specifically for shredding electronic media.



The safety cover can be simply folded up in order to shred large amounts of paper.



The waste bag can be taken out easily through the large door.



The SECURIO is an elegant object due to its dynamic design.

SECURIO B32	Strips		Particles	
Cutting size in mm	3.9	5.8	1.9×15	4.5×30
Security level DIN 32757-1	2	2	4	3
Cutting capacity* 70 g/m ² in sheets	22-24	28-30	11-13	17-19
Cutting capacity* 80 g/m ² in sheets	19-21	25-27	9-11	14-16
Cutting speed in mm/s	65	65	65	65
Intake width in mm	310	310	310	310
Motor	500 W	500 W	500 W	500 W
Voltage / Frequency	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
Dimensions W×D×H in mm	497×398×793	497×398×793	497×398×793	497×398×793
Weight in kg	25.5	25.5	27	27
Container/collection volume in l	82	82	82	82

* max. per cycle DIN A4, 70 g/m² or DIN A4, 80 g/m².

All technical specifications are approximate values. Technical and design modifications reserved.

*in comparison to conventional standby switches.

SECURIO® B34



Central positioning in busy offices. Large volume, high performance.

- > For shredding not only paper and documents but also credit and store cards as well as CDs (security level 2 and 3)
- > Intake width: 310 mm (DIN A 3)
- > Available as strip cut version with security level 2
- > Available as particle cut version
- with security levels 3 and 4
- > Container/collection volume: 100 l
- > Height: 845 mm
- > Automatic shut-down function
- > Automatic switch-off
- > Temporary mode
- > Permanent mode
- > Mobile on castors



At security level 2, the SECURIO B34 can shred CDs with ease.



Folding safety cover provides optimum protection for the operator.



Waste bag easy to remove through the large door.



Due to its large collection volume, the SECURIO B34 is suited for use by several persons.

SECURIO B34	Strips		Particles	
Cutting size in mm	3.9	5.8	1.9×15	4.5×30
Security level DIN 32757-1	2	2	4	3
Cutting capacity* 70 g/m ² in sheets	25-27	30-32	13-14	20-22
Cutting capacity* 80 g/m ² in sheets	22-24	26-28	11-12	17-19
Cutting speed in mm/s	90	90	90	90
Intake width in mm	310	310	310	310
Motor	650 W	650 W	650 W	650 W
Voltage / Frequency	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
Dimensions W×D×H in mm	541 x 439 x 845	541 x 439 x 845	541 x 439 x 845	541 x 439 x 845
Weight in kg	34.5	34.5	42	42
Container/collection volume in l	100	100	100	100

* max. per cycle DIN A4, 70 g/m² or DIN A4, 80 g/m².

All technical specifications are approximate values. Technical and design modifications reserved.

New perspectives with established values.

Quality "Made in Germany" by HSM.


SECURIO is the next generation of the shredding machine. Up to date. Designed to meet your requirements. And based on the entire technical experience of a renowned manufacturer. The decisive factors for HSM products: quality, performance and durability – are also embodied in the SECURIO.

The guarantees.

- > Within 14 days money-back guarantee or upgrade to a larger device.
- > Replacement / repair guarantee: We immediately replace defective machines with new machines during the warranty period (2 years). They are then repaired by authorised specialist dealers or HSM's customer service, which may offer new devices at favourable conditions.
- > Plus guarantee: A 10-year guarantee on the 100 % steel cutting rollers (normal wear and inappropriate use excluded).

The cutting rollers.

The specially hardened 100 % steel cutting rollers are manufactured from a single piece of steel, will not be affected by wear and tear and ensure a permanently precise cut. In addition, staples and paper clips present no problems for SECURIO.




V-TEK by HSM
The V-groove of the cutting rollers is a ground-breaking development of HSM in terms of shredding equipment. The extremely efficient and high-precision cutting mechanism of the V-groove ensures a considerably higher cutting capacity at at equivalent energy consumption.



Security level 2 – Strips
For internal documents that need to be rendered illegible such as computer lists or bad photocopies.
Cutting size: 5.8 mm.




Security level 2 – Strips
For internal documents that need to be rendered illegible such as computer lists or bad photocopies.
Cutting size: 3.9 mm.



Security level 3 – Particles
For confidential documents such as personal data.
Cutting size: 4.5 x 30 mm and 3.9 x 30 mm.



Security level 4 – Particles
When the confidentiality of documents is important for a company's existence.
Cutting size: 1.9 x 15 mm.



The drive.

The optimum design of all cutting unit components ensures smooth operation, saves valuable energy and reduces wear. All motors are designed for continuous operation.

Explanations of the technical data:

- Cutting size : Dimension of the strips or particles of the shredded material (depending on the paper quality).
- Security levels : In accordance with DIN 32757-1.
- Cutting capacity : The maximum number of sheets (DIN A4, 70 g/m² or 80 g/m²), fed lengthways, which can be cut in one cycle. The performance data is determined when the motor is cold and the cutting device is freshly oiled. A weaker mains voltage or a different mains frequency to the one specified could result in less sheet capacity and increased noise during operation. The sheet capacity can vary depending on the structure and properties of the paper and on the way it enters. The performance data in 80 g/m² is calculated.
- Cutting speed : This is calculated on the basis of the external diameter and speed of the cutting rollers in idle operation.
- Intake width : Maximum effective width of the intake opening.
- Motor : Power consumption of the document shredder motor at maximum cutting capacity (see above).
- Voltage / frequency : Alternating current power supply.
- Dimensions : External dimensions of the machine when ready for operation.
- Weight : Net weight of machine without packaging.
- Container volume / collecting container : Total volume of the collecting container resp. collection capacity for shredded material until the machine switches off.

All technical data and dimensions are approximate values. Technical and design modifications reserved.

Hauptsitz Deutschland /
Headquarter Germany:

HSM GmbH + Co. KG
Bahnhofstrasse 115
88682 Salem

Tel. +49 (0) 75 53 / 822-0
Fax +49 (0) 75 53 / 822-160
info@hsm-online.de
www.hsm-online.de
www.securio.com

Vertrieb / Sales:

Gratis Hotline
DE, AT, BE, NL, LU, DK
Tel. 00800 44 77 77 66
Fax 00800 44 77 77 67

HSM Vertrieb Deutschland
Deutschland@hsm-online.de

HSM Vertrieb Österreich
HSM.Austria@hsm-online.de

HSM Verkoop België, Nederland,
Luxemburg
HSM.Benelux@hsm-online.de

HSM Salgs Support Danmark
HSM.Denmark@hsm-online.de

HSM GmbH + Co. KG
Adresse postale:
1 rue de la Haye
Le Dôme - BP 12910
95731 ROISSY CDG CEDEX
Adresse salle d'exposition:
Paris Nord II
33 rue des Chardonnerets
95971 ROISSY
Tel. N°Azur 0810.12.26.33
PRIX APPEL LOCAL
Fax N°Indigo 0820.20.84.80
0,118 EURO TTC / MN
HSM.France@hsm-online.de

HSM GmbH + Co. KG
Oficina Barcelona
C/Tona
Nave nº 15 "El Lago"
Pol. Ind. Monguit
08480 L'Ametlla del Vallès
BARCELONA
Hotline Gratuito
Tel. 00800 44 77 77 66
Fax 00800 44 77 77 67
HSM.Spain@hsm-online.de

HSM of America LLC
1075 Andrew Drive, Suite C
West Chester
PA 19380
Tel. (610) 918-4894
(800) 613-2110
Fax (610) 918-4899
customerservice@hsmofamerica.com
info@hsmofamerica.com
www.hsmofamerica.com

HSM (UK) Ltd.
14 Attwood Road / Zone 1
Burntwood Business Park
Burntwood
Staffordshire
WS7 3GJ
Tel. +44 (0) 1543.272.480
Fax +44 (0) 1543.272.080
info@hsmuk.co.uk
www.hsmuk.co.uk

HSM Polska SP. z o.o.
ul. Emaliowa 28
02-295 Warszawa
Tel. +48 / 22 - 862 23 69/70
Fax +48 / 22 - 862 23 68
info@hsm Polska.com
www.hsm Polska.com