EFFICIENT BLACK AND WHITE LASER PRINTERS WITH WIRELESS CONNECTIVITY



i-SENSYS LBP220 series

Productive and efficient, these single-function mono laser printers are perfect for businesses in need of speed and reliability

Boosted print speeds

Canon's i-SENSYS LBP220 series features an engine capable of delivering fast print speeds for maximum efficiency. Choose LBP226dw or LBP228x for print speeds of up to 38ppm for A4 and LBP223dw for speedy printing of up to 33ppm for A4. Double-sided printing will also keep production streamlined.

Security as standard

Keep security tight by using the LBP226dw and LBP228x PIN document release function and the LBP228x user authentication via the Universal Login Manager (ULM).

Mobile connectivity

A must for small business owners, mobile connectivity in the i-SENSYS LBP220 series allows users to print wherever they are. Get printing straightaway without any apps via AirPrint (iOS) or Mopria (Android), or download the Canon PRINT Business app.













High quality performance

Improved toner cartridges ensure consistent high quality. These compact cartridges now have even greater yield and boast Auto Seal Removal technology for less waste and mess when replenishing.

Intuitive control

Get to grips with operation via straightforward 5-Line LCDs for LBP223dw and LBP226dw, or benefit from even more user-friendly control with LBP228x's 12.7cm colour touchscreen. LBP228x also comes with an Application Library for personalised on-screen buttons.



RANGE FEATURE STEP UP CHART







	LBP223dw	LBP226dw	LBP228x
Printer language PCL	•	•	•
Printer language PostScript		•	•
A4 Print speed	33ppm	38ppm	38ppm
Display	5 Line LCD	5 Line LCD	12.7cm Colour Touch Screen
Secure PIN Print		•	•
Auto Duplex Print	•	•	•
ULM/uniFLOW Compatibility			•
Application Library			•
Wi-Fi	•	•	•

OPTIONAL ACCESSORIES

Cassette Feeding Module AH1

 Additional 550 sheet paper cassette, 1 unit can be added to printer

Barcode Printing Kit-E1E (LBP228x)

 Installs barcode fonts for barcode printing. This kit, which is delivered electronically, includes a license access certificate for activation



TECHNICAL SPECIFICATIONS

i-SENSYS LBP220 Series

PRINTER ENGINE

Print speed

Single sided : Up to 33 ppm (A4)
Up to 52.5 ppm(A5-Landscape)
Double sided : Up to 28.7 ipm (A4)

LBP226dw/LBP228x:

Single sided : Up to 38 ppm (A4)
Up to 63.1 ppm(A5-Landscape)
Double sided : Up to 31.9 ipm (A4)

Printing method Monochrome laser beam printing

Print resolution 600 x 600 dpi Up to 1200 x 1200 dpi

Print quality with Image Refinement Technology

Warm-up time First Page Out Time

Recommended Monthly Print

Volume

Duty cycle

Print margins

Advanced printing features

Approx: 5.5 seconds or less 750 - 4,000 pages per month

5 mm-top, bottom, left and right

80,000 pages LBP223dw:

Approx. 14 seconds or less from power on

LBP223dw:
Print from USB memory key (JPEG/TIFF/PDF)
Google Cloud Print Ready
iOS: AirPrint, Canon PRINT Business app
Android; Mopria certified, Canon Print Service Plug-in,
Canon PRINT Business app

I BP226dw

LBP226dw: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app

I BP228x

LBP228x: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Barcode Print¹ Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app

150-sheet

Android; Mopria certified, Canon Print Service Plug-in,

Plain paper, Recycled paper, Heavy Paper, Thin paper, Label, Post card, Envelope

Cassette (Standard and optional):
A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Custom sizes: Min. 105 x 148 mm Max. 216.0 x 355.6 mm.

Multi-purpose tropics, A6, B5, Legal, Letter, Executive, 44, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Indexcard, Envelope (COM10, Monarch, C5, DL), Custom sizes: Min 76.2 x 127 mm Max.

Cassette (standard and optional): 60 to 120 g/m²

A4. Legal, Letter, OFFICIO, B-OFFICIO, M-OFFICIO,

Canon PRINT Business app

250-sheet cassette 100-sheet multi-purpose tray 550-sheet cassette

MEDIA HANDLING

Paper input (Standard)

Paper input (Option)

Paper output

Media types

Media sizes

Media weights

Double sided printing

GENERAL FEATURES Power requirements

Power consumption

Noise level

Dimensions (W x D x H)

As, Legal, Letter, Or Holo, B-O Fricto, B-

Multi-purpose tray: 60 to 163 g/m²

216.0 x 355.6 mm.

220-240V(+10%) 50/60Hz (+2Hz) Maximum: Approx. 1,330 W

Maximum: Approx. 1,350 W
Standby: Approx. 9 W
Sleep mode: Approx. 0.9 W
Typical Electricity Consumption (TEC):
LBP223dw: 0.9 kWh/week
LBP226dw/LBP228x: 1.0 kWh/week (230V)⁸
For detailed information relating to Lot26 regulation,

please go to: http://www.canon-europe.com/For_Work/ Lot26/index.aspx

Sound Pressure²:

Active: 54 dB Standby: Inaudible³

Sound Power² Active: 68 dB Standby: Inaudible

LBP223dw/LBP226dw:

401 mm x 373 mm x 250 mm LBP228x: 438 mm x 373 mm x 312 mm Weight

LBP223dw/LBP226dw: Approx. 9.5 Kg LBP228x: Approx. 9.9 Kg

Operating environment

Temperature: 10 to 30°C (50 to 86°F) Humidity 20 to 80% RH (no condensation)

LBP223dw/LBP226dw:

EBP2230W/ LEP220UW.

5 Line LCD, 3 LED (Job, Error, Energy saver), Buttons, 10-key numeric keypad LBP228x:

12.7 cm LCD Colour Touch Screen

CONTROLLER

Processor Speed Memorv

Control panel

Printer Languages

Fonts

Interface and connectivity

Software and Printer Management

UFRII, PCL 5e⁴, PCL6, Adobe® PostScript®

LBP223dw: 45 PCL fonts LBP226dw: 45 PCL fonts, 136 PS fonts LBP228x: 93 PCL fonts, 136 PS fonts

USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/q/n, Wireless Direct Connection

LBP223dw/LBP226dw: Remote User Interface (RUI), Department ID Management,

Toner Status Tool,
IW Management Console: Server-based software for
centralised management of a fleet of devices
eMaintenance: embedded RDS allows remote

eMaintenance services such as meter capture, automatic consumables management and remote diagnostics.

I BP228x

LBP220X:
Remote User Interface (RUI),
Department ID Management,
Toner Status Tool,
iW Management Console: Server-based software for centralised management of a fleet of devices

centralised management of a field of devices eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics. Universal Log-in Manager / uniFLOW online / uniFLOW online Express / uniFLOW compatibility Application Library

Operating Systems Compatibility

Windows* 10 / Windows* 8.1 / Windows* 7 / Server* 2019/ Server* 2016 / Server* 2012R2 / Server* 2012 / Server* 2008R2 / Server* 2008 Mac QS X version 10.9.5 & up / Mac QS 10.14 & up

All-in-One cartridges

Cartridge 057 (3,100 pages ⁶)⁷ Cartridge 057H (10,000 pages ⁶)⁷

ACCESSORIES/ OPTIONS Items

LBP223dw/LBP226dw

LBP223dw/LBP226dw:
Cassette Feeding Module-AH1
LBP228x:
Cassette Feeding Module-AH1
MiCard Multi (Card reader for identification with RFID or
magnetic cards with uniFLOW)

Micard Plus (Card reader for identification with RFID or magnetic cards with uniFLOW) MiCard Attachment kit-B1 Barcode Printing Kit-E1E

Notes:

[1] Accessory - Barcode Printing Kit-E1E - is required

[2] Declared noise emission in accordance with ISO 9296

[3] Inaudible means that the emission sound pressure level for a bystander is lower than absolute standard for background noise in accordance with ISO 7779

[4] A Canon PCL5e driver is not supplied, however PCL5e commands are supported on the device.

[5] Web distribution only

Available from December 2019.

[6] Based on ISO/IEC 19752

[7] Printer ships with starter cartridge (Black: 1,500pages)

[8] As per US ENERGY STAR* version2.0. [9] PostScript available on LBP226dw & LBP228x only



EFFICIENT BLACK AND WHITE LASER PRINTERS WITH WIRELESS CONNECTIVITY

Productive and efficient, these single-function mono laser printers are perfect for businesses in need of speed and reliability



PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS LBP223dw	3516C008AA	4549292133974
i-SENSYS LBP226dw	3516C007AA	4549292133967
i-SENSYS LBP228x	3516C006AA	4549292133950

ACCESSORIES:

PRODUCT NAME	Mercury Code	EAN Code
Cassette Feeding Module-AH1	0732A033AA	4549292092769
MiCard Attachment kit-B1	5146B002AA	4549292027235
Barcode Printing Kit-EIE	5143B002AA	N/A (e-delivery)

CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
Cartridge 057	3009C002AA	4549292136258
Cartridge 057 H	3010C002AA	4549292136289

Canon Inc. canon.com

Canon Europe canon-europe.com



