

Professional colour multifunction A3 inkjet printer MFC-J5945DW

~ ×

. •

1

2

📇 🗾 云

www.brother.co.uk/x-series

Professional colour multifunction A3 inkjet printer

This 4-in-1 inkjet device boasts business functionality with a cost efficiency to be rivalled. Print up to A3 and use the 50 sheet A4 document feeder (ADF) to make copying and scanning quicker and easier. Access features easily using the 9.3cm colour touchscreen.

MFC-J5945DW



Key Features:

- High yield cartridges up to 6,000 pages¹
- Fast print speeds of up to 22 images per minute (ipm)⁸
- Fast first print out time of under 6 seconds⁹
- 2 paper trays as standard holding 250 sheets each²
- Automatic 2-sided printing
- Wired and wireless connectivity
- 50 sheet ADF²
- Quick and secure print using integrated Near-Field Communication (NFC)
- Easy to use 9.3cm colour touchscreen

Inkjet now means business

Get further support for your office with the MFC-J5945DW 4-in-1 inkjet A3 printer. Offering automatic 2-sided A3 printing, with A4 scan and copy, this device is professional and offers high performance business features with low total cost of ownership. For total office support - think business ink.

Keep printing for longer

With a high paper capacity of 500 sheets as standard, you can spend your time focusing on your business rather than refilling the paper tray. The versatile 100 sheet multi-purpose (MP) tray allows you to use media up to 230gsm and supports quick and cost effective A3 and A4 colour printing.

Business features from an inkjet printer

With a host of business features and functions, the MFC-J5945DW offers quick and secure printing directly from your mobile using NFC. Set up fast scan options with the intuitive user interface allowing you to scan directly to your favourite office applications. The 9.3cm colour touchscreen features a page gauge function allowing you to keep track of your ink level usage.

Keep an eye on costs

Printing doesn't have to be expensive, and with this device we have ensured you get good value with a low total cost of ownership and unbeatable cost per page by using the optional high yield inks giving you up to 6,000 pages¹. They also have low emissions and use less energy, meaning your machine supports you while you support the environment.

General

Technology Inkjet

Memory 512MB

Local interface Hi-Speed USB 2.0

Wired network Built-in 10 Base-T/100Base-TX Wireless network

IEEE 802.11b/g/n (Infrastructure Mode/ Ad-hoc Mode), Vertical Pairing

Wi-Fi direct[™]

Print wirelessly without having to use a wireless access point (both automatic and manual methods supported)

Mobile print

Print from your mobile devices to your Brother printer

Control panel 9.3cm colour touchscreen LCD

Print

Print speed (A4)⁸ 22ipm mono and 20ipm colour

Resolution 4,800 x 1,200dpi

First print out time⁹ 5.5 seconds mono 6 seconds colour

Warm up Time 0 seconds

Quiet mode Further reduce the noise of printing by restricting the print speed Print languages PCL6, BR-Script3 (PostScript®3™ Language Emulation), PDF Version 1.7, XPS Version 1.0

Embedded fonts (PCL) 73 scalable fonts, 12 bitmap fonts

Embedded fonts (Postscript) 66 scalable fonts

Embedded barcodes (PCL)

16 barcodes* *Code39 Interleaved 2 of 5 FIM (US-PostNet) Post Net (US-PostNet) EAN-8, EAN-13,UPC-A UPC-E, Codabar, ISBN (EAN) ISBN (UPC-E) Code128 (set A, set B, set C) EAN128 (set A, set B, set C) Code93, GS1Databar, MSI

Printer functions

N-up printing³

Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)

Booklet printing⁴ Print documents in A5 booklet format using automatic or manual 2-sided print

Poster printing⁴ Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages

Watermark printing⁴

Watermark your documents with predefined text or with your own user-defined messages

Print profiles³

Store your favourite driver settings as profiles to easily recall them

Print text in black⁴ Converts all text in your

documents to black when printed

Manual 2-sided print⁴

Manual 2-sided printing (recommended for media not supported by automatic 2-sided print)

ID printing⁴

Add identification to your printed documents (date and time, short custom message or PC username)

Printer driver⁵

Windows®

Windows 7, 8, 8.1, 10, Server 2008 & 2008 R2, Server 2012 & 2012 R2

Mac

OS X 10.9.x, 10.10.x, 10.11.x macOS 10.12.x, 10.13.x Linux CUPS, LPD/LPRng

Paper handling

Paper input² Standard tray - 250 sheets Lower tray - 250 sheets Multi purpose tray - 100 sheets

ADF Yes - 50 sheets

Paper output² 100 sheets

Media type and weights standard tray Plain, inkjet, glossy, recycled 64-220g/m²

Media sizes standard tray

A4, LTR, EXE, A3, LGR, LGL, folio, A5, A6, photo (10x15cm), indexcard (13x20cm), photo-L (9x13cm), photo-2L (13x18cm), com-10, DL envelope, monarch, C5, Mexico legal, India legal

Media type and weights lower tray Plain, recycled 64-120g/m²

Media sizes lower tray A4, LTR, A3, LGR, LGL, folio, Mexico legal, India legal

Media type and weights MP tray Plain, inkjet, glossy, recycled 64-220g/m²

Media sizes MP tray

A4, LTR, EXE, A3, LGR, LGL, folio, A5, A6, photo (10x15cm), indexcard (13x20cm), photo-L (9x13cm), photo-2L (13x18cm), com-10, DL envelope, monarch, C5, Mexico legal, India legal

Media type and weights ADF

Plain and recycled paper (64-90g/m²)

Media sizes ADF Width: 105 to 215.5 mm, Length: 148 to 355.6 mm

Envelope printing Yes, from the MP tray

Mobile and web connectivity

Brother iPrint&Scan⁵ (Android) Print and scan, send faxes, preview received faxes, preview copies and check machine status

Brother iPrint&Scan⁵ (iPad / iPhone / iPod) Print and scan, send faxes, preview received faxes, preview copies and check machine status Brother iPrint&Scan⁵ (Windows Phone) Print and scan

Brother Print&Scan⁵ (Windows 8,10 & RT) Print and scan

Brother Print Service Plugin⁵ Print from Android devices without a dedicated App

Google Cloud Print 2.0

Print most common file types from any Google Cloud Print enabled application

AirPrint

Print most common file types from any AirPrint enabled application

Mopria

Print most common file types from Mopria supported Android devices

NFC / card reader support

Integrated NFC reader

Supports both NFC cards for secure authentication with pull-print solutions like Brother PrintSmart Pro and Android NFC devices for mobile print and scan. Supported NFC standards include: MIFARE Standard/Plus/ Ultralight/Ultralight C/DESfire (ISO14443 Type A), my-d move (ISO14443 Type A), Tag-it (ISO15693)

External NFC card reader support

Support for external NFC readers via the rear USB port. Supported card readers include: RFIDeas pcProx Enroll RDR-6081AKU RDR-6281AKU RDR-6281AKU RDR-6E81AKU RFIDeas AIR ID Enroll RDR-7081AKU RDR-7581AKU RDR-7F81AKU Elatec TWN3 Mifare,

Elatec TWN3 Mifare, Mifare NFC1, Multi ISO Elatec TWN4 Mifare NFC

Note: third party card readers require additional purchase. Other card readers supported if registered via the web interface Copy speed (A4)¹⁰ 15ipm mono and 11ipm colour

First copy out time¹⁰ 10 seconds mono, 11 seconds colour from ready mode

Resolution 600 x 600dpi Multi-copying/stack/sort Makes up to 999 copies of each page / stacks or sorts

Enlargement/reduction ratio Reduce or increase document sizes from 25% to 400% in 1% increments

N in 1 copying

Allows the user to compress 2 or 4 pages on to a single A4 sheet

2 in 1 ID copying

Allows the user to copy both sides of an ID card to a single A4 sheet

Scan

Scanner type Contact image sensor

Colour and mono scanning Yes

Scan speed 14ipm colour and mono¹¹

Duplex scan speed 10ipm mono and colour Scan resolution from ADF 600 x 600dpi

Scan resolution from scanner glass 1,200 x 2,400dpi

Interpolated scan resolution 19,200 x 19,200dpi

Colour depth

Colour processing (input) 48 bit (simplex), 30 bit (duplex) Colour processing (output) 24 bit

Grey scale processing (input) 16 bit (simplex), 10 bit (duplex) Grey scale processing (output) 8 bit

Scanner functions

Scan to USB Scan to connected USB storage (up to 256Gb)

Scan to file Scan to a file on your computer

Scan to OCR Scan directly into your word processing application for instant editing

Scan to image Scan into your preferred image editing software

Scan to e-mail Scan and e-mail documents Scan to e-mail server Scan and share a document via e-mail server

Scan to FTP / SFTP Scan a document directly to a FTP / SFTP server

Scan to network folder Scan a document directly to a network folder without requiring a computer

Scan to SharePoint Scan a document directly into SharePoint Scan to web¹²

Scan a document directly to a cloud service

Scan profiles³

Create up to 25 preset profiles for an easy way to store multiple scan settings

Other scan features:

Duplex scan Scan to Microsoft Office¹² ADF auto deskew Auto crop Multi-page scan to single PDF file Blank page skip Base colour removal ID scan⁷ 1 to 2 scan⁷

Scanner drivers⁵

Windows® TWAIN, ISIS & WIA Windows® 10 Windows® 8 Windows® 7 Mac TWAIN & ICA OS X 10.9.x, 10.10.x, 10.11.x macOS 10.12.x, 10.13.x Linux SANE **Fax modem** 33,600bps (Super G3)

PC fax send³ and receive⁴ Send and receive faxes directly from your PC

Memory transmission Up to 180 pages (ITU-T test chart,

Standard resolution, JBIG) **Out of paper reception**

Up to 180 pages (ITU-T test chart, Standard resolution, JBIG)

Distinctive ring detection

(UK and Denmark only) An external service that allows two or more telephone numbers shared on a single fixed line to use different ring tones

Error correction mode (ECM)

The MFC will detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work)

Auto reduction

When receiving a single page document longer than A4 (297mm) the fax machine will automatically format the message to fit onto a single A4 sheet

Broadcasting

Send the same fax message up to 250 locations

Colour depth

Grey scale: 8 bit (256 shades) Colour: 24 bit (16,777,216 colours)

Developers

Brother Solutions Interface (BSI)

Create powerful cloud and on-premise solutions directly, integrating the advanced print, scan and security capabilities of Brother devices. For more information visit: www.brother.eu/developers

Fleet management tools

Unattended installer⁴ Ability to centrally deploy and customise our drivers and software

MSI installer⁴

Modular installers that can be distributed through Active Directory®

BRAdmin Light/Professional^{4&5}

Device management software

Embedded web server

Web-based embedded device management

Driver Deployment Wizard^{4&5} Create print drivers for easy deployment over the network

PrintSmart cost control Monitor and control printing

costs for Brother and third party devices.

For more information on PrintSmart Solutions visit: www.brother.eu

Software⁵

Brother iPrint&Scan (Windows and Mac) Print, Scan and check machine status from Windows or macOS Nuance PaperPort 14 SE Document management and sharing program

Brother Control Centre 4 for Windows

Easy access to many functions such as scan, photo print and PC-Fax directly from your computer

Security and network

10Base-T/100Base-TX

Wired network

Wired network security

APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS,FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec

Wireless network

IEEE 802.11b/g/n (Infrastructure Mode) IEEE 802.11g/n (Wi-Fi Direct)

Wireless network security¹³

WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES) APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS,FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec

Wi-Fi direct[™]

Print wirelessly without having to use a wireless access point (both automatic and manual methods supported)

Wireless setup support

Wi-Fi Protected Setup (WPS)

Wireless applications Vertical Pairing

IPv4

ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP/FTPs Client FTP Server, SMMPv1/v2c/v3, TFTP server, SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, POP3, LDAP, IMAP4, HTTP Server

IPv6

NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP/FTPs Client FTP , SNMPv1/v2c/v3 , TFTP server, Web Services (Print/Scan), SMTP Client, POP3, CIFS Client, SNTP Client, LDAP, IMAP4, ICMPv6, HTTP Server

IP filter

Restrict which network users can access the device over the network (IPv4 only)

E-mail notifications

Automatically configure the device to send e-mail alerts when it requires attention, such as when the toner is low or needs replacing

E-mail reports

Receive usage reports on a regular basis via e-mail

Setting lock

Secure access to the device control panel by locking it

Secure Function Lock 3.0

Restrict access to individual or groups of users. Can be used with PC User login names for up to 100 users

Secure print

Protect print jobs with a four digit release code required at the device in order for them to be printed

Supplies and accessories

Ink cartridges¹

High yield cartridges LC3237BK - 3,000 pages LC3237C - 1,500 pages LC3237Y - 1,500 pages LC3237M - 1,500 pages

Super high yield cartridges LC3239BK - 6,000 pages LC3239C - 5,000 pages LC3239Y - 5,000 pages LC3239M - 5,000 pages

Note product is shipped with LC3237 cartridges

Dimensions and weights **With carton (WxDxH)** 662 x 543 x 504 mm - 25.3kg **Without carton (WxDxH)** 545 x 436 x 379mm - 20.9kg

Duty cycle

Recommended monthly⁶ 250 to 2,000 pages monthly print volume

Maximum monthly⁶ Up to 30,000 pages monthly print volume

Environment

Power consumption¹⁴ Networked standby: 2.2W Copying: 30W Ready: 6.5W Sleep: 1.5W Power off: 0.04W Sound pressure level 50dB(A)

Sound power level Mono: 6.73B(A) Colour: 6.68B(A)

Ink save mode This reduces ink usage and helps to reduce the total cost of printer ownership **Energy Star** Yes

Blue Angel Yes

Nordic Swan Yes

GS Mark Yes

1 Approx declared yield value in accordance with ISO/IEC 24711.

- 2 Calculated with 80g/m² paper.
- 3 Windows[®] & Mac[®] only.
- 4 Windows[®] only.
- 5 Available for download.
- 6 Number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that exceeds your print requirements.
- 7 Requires Brother software.
- 8 Based on ISO/IEC 24734.
- 9 Based on ISO/IEC 17629.
- 10 Based on ISO/IEC 24735.
- 11 Based on ISO/IEC 17991.
- 12 Requires an internet connection.
- 13 Wi-Fi Direct supports WPA2-PSK (AES) only.
- 14 All value are approximate; power consumption varies depending on the usage environment or part wear.





Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth. **www.brotherearth.com**

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

